

**DEMOGRAPHICS**

<b>Last Name</b> <sup>2000</sup> :	<b>First Name</b> <sup>2010</sup> :	<b>Middle Name</b> <sup>2020</sup> :
<b>Birth Date</b> <sup>2050</sup> : mm / dd / yyyy	<b>Patient ID</b> <sup>2040</sup> :	<b>Other ID</b> <sup>2045</sup> :

**EPISODE OF CARE**

<b>Arrival Date/Time</b> <sup>3001</sup> : mm / dd / yyyy / hh:mm	<b>Discharge Date/Time</b> <sup>10101</sup> : mm / dd / yyyy / hh:mm
<b>CathPCI DCT Unique Patient Identifier</b> <sup>14627</sup> :	
<b>Shockwave Intravascular Lithotripsy (IVL) Device Utilized</b> <sup>14809</sup> : <input type="radio"/> No <input type="radio"/> Yes	
→ If Shockwave IVL Device Utilized = "yes" complete the following	

**CATH LAB VISIT**

<b>Percutaneous Coronary Intervention (PCI) with Shockwave Device Procedure Start Date/Time</b> <sup>14811</sup> : mm / dd / yyyy / hh:mm
<b>Cardiac Implantable Electronic Device</b> <sup>14810</sup> : <input type="radio"/> No <input type="radio"/> Yes
→ If Yes, <b>Device Type</b> <sup>14814</sup> : <input type="radio"/> Defibrillator (ICD) <input type="radio"/> Pacemaker

**INTRA AND POST-PROCEDURE EVENTS (COMPLETE FOR EACH CATH LAB VISIT)**

INTRA PCI ONLY (DURING IVL DEVICE UTILIZATION)	EVENT(S) <sup>14812</sup>	EVENT(S) OCCURRED <sup>14817</sup>
		Sustained Ventricular Arrhythmia
	Balloon Loss of Pressure/Rupture	<input type="radio"/> No <input type="radio"/> Yes →If Yes, <b>Serious Coronary Dissection</b> <sup>14820</sup> : <input type="radio"/> No <input type="radio"/> Yes
	Inappropriate ICD Shocks Delivered (For those with ICD)	<input type="radio"/> No <input type="radio"/> Yes
	Inappropriate Inhibition of Pacing (For those with ICD or Pacemaker)	<input type="radio"/> No <input type="radio"/> Yes

**INTRA AND POST-PROCEDURE EVENTS**

EVENT(S) <sup>14813</sup>	EVENT(S) OCCURRED <sup>14818</sup>
Cardiac Implantable Electronic Device Reprogramming Required (For those with ICD or Pacemaker)	<input type="radio"/> No <input type="radio"/> Yes