

Section: Demographics
Parent: Root

Element: 2000	Last Name
	<p>Coding Instruction: Indicate the patient's last name. Hyphenated names should be recorded with a hyphen.</p> <p>Target Value: The value on arrival at this facility</p>
Element: 2010	First Name
	<p>Coding Instruction: Indicate the patient's first name.</p> <p>Target Value: The value on arrival at this facility</p>
Element: 2020	Middle Name
	<p>Coding Instruction: Indicate the patient's middle name.</p> <p>Note(s): It is acceptable to specify the middle initial.</p> <p>If there is no middle name given, leave field blank.</p> <p>If there are multiple middle names, enter all of the middle names sequentially.</p> <p>If the name exceeds 50 characters, enter the first 50 letters only.</p> <p>Target Value: The value on arrival at this facility</p>
Element: 2050	Birth Date
	<p>Coding Instruction: Indicate the patient's date of birth.</p> <p>Target Value: The value on arrival at this facility</p> <p>Vendor Instruction: Date Rule 1: Date of Birth(2050) is greater than 01/01/1850 (DOB > 1/1/1850) Date Rule 2: Date of Birth(2050) is less than Arrival Date and Time(3001) (DOB < ArrivalDateTime) Date Rule 3: Patient must be 18 years or older to be included in the Auxiliary Data Collection Tool (ArrivalDateTime - DOB >= 18 years)</p>
Element: 2040	Patient ID
	<p>Coding Instruction: Indicate the number created and automatically inserted by the software that uniquely identifies this patient.</p> <p>Note(s): Once assigned to a patient at the participating facility, this number will never be changed or reassigned to a different patient. If the patient returns to the same participating facility or for follow up, they will receive this same unique patient identifier.</p> <p>Target Value: The value on arrival at this facility</p>
Element: 2045	Other ID
	<p>Coding Instruction: Indicate an optional patient identifier, such as medical record number, that can be associated with the patient.</p> <p>Target Value: N/A</p>

Section: Episode of Care
Parent: Root
Element: 2999
Episode Unique Key

Coding Instruction: Indicate the unique key associated with each patient episode record as assigned by the EMR/EHR or your software application.

Target Value: N/A

Element: 3001
Arrival Date and Time

Coding Instruction: Indicate the date and time the patient arrived at your facility.

Note(s):

Indicate the time (hours:minutes) using the military 24-hour clock, beginning at midnight (00:00 hours).

Target Value: N/A

Element: 10101
Discharge Date and Time

Coding Instruction: Indicate the date and time the patient was discharged from your facility as identified in the medical record.

Note(s):

Indicate the time (hours:minutes) using the military 24-hour clock, beginning at midnight (00:00 hours).

If the exact discharge time is not specified in the medical record, then code the appropriate time as below.

0000 - 0559 (midnight to before 6AM) code 0300
 0600 - 1159 (6AM - before noon) code 0900
 1200 - 1759 (noon to before 8PM) code 1500
 1800 - 2359 (8PM to before midnight) code 2100

Target Value: The value on discharge

Element: 14627
DCT Unique Patient Identifier

Coding Instruction: Indicate the data collection tool (DCT) unique patient identifier.

Note(s):

If you entered the base record using the ACC's NCDR data collection tool, the DCT unique patient identifier is identical to that NCDR patient ID and can be found in the left menu of the Auxiliary data collection tool.

If you entered the base record using a Vendor data collection tool, retrieve the NCDR unique patient identifier generated by your vendor software and enter it in this field (it will not match the NCDR patient ID created by the Auxiliary data collection tool).

Because the DCT unique patient identifier is created by the registry specific data collection tool, the base record must be entered first prior to entering the patient in the Auxiliary data collection tool.

Target Value: N/A

Element: 14599
COVID-19 Status

Coding Instruction: Indicate the patient's COVID-19 status.

Target Value: The highest value on arrival or prior to discharge

COVID-19 Status - 1.3.6.1.4.1.19376.1.4.1.6.5.751

Selection	Definition	Source	Code	Code System
COVID-19 Positive	The patient has tested positive for COVID-19.		112000001982	ACC NCDR
COVID-19 Suspected	Testing for COVID-19 was either not performed OR was negative; however, due to the presence of clinical signs/symptoms consistent with COVID-19 there was a high level of suspicion the infection was present which guided the overall treatment plan.	ACC NCDR	840544004	SNOMED CT
COVID-19 Recovered	The patient was previously diagnosed with COVID-19 infection (lab or clinical criteria) and is no longer contagious as defined by: Test-based strategy: At least three (3) days (72 hours) have passed since recovery which is defined as the resolution of fever and improvement of respiratory symptoms, AND Two (2) consecutive negative COVID-19 laboratory tests >= 24 hours apart	"Discontinuation of Isolation for Persons with COVID - 19 Not in Healthcare Settings Interim Guidance," retrieved from: https://www.cdc.gov/coronavirus/2019-ncov/hcp/disposition-in-home-patients.html	112000001984	ACC NCDR

OR

Section: Episode of Care
Parent: Root
Symptom-based strategy:

At least three (3) days (72 hours) have passed since recovery which is defined as the resolution of fever and improvement of respiratory symptoms, AND At least ten (10) days have passed since symptom onset

OR

If tested positive for COVID-19 and never exhibited symptoms:

At least 10 days have passed since first positive COVID-19 test, OR
Two (2) consecutive negative COVID-19 laboratory tests \geq 24 hours apart

COVID-19 Negative	The patient has tested negative for COVID-19.	112000001983	ACC NCDR
COVID-19 Testing Not Performed	The patient has not been tested for COVID-19.	112000001985	ACC NCDR
Other	The patient has a COVID-19 status that is not available for selection.	100000351	ACC NCDR



Section: Labs

Parent: COVID-19 Hospital Course

Element: 14600

Troponin Type

Coding Instruction: Indicate the type of troponin test performed.

Note(s):

If both Troponin I and T were obtained, only report the type with the highest numerical value. Labs obtained at a previous facility are permissible.

Target Value: The highest value on arrival or prior to discharge

Troponin Type - 1.3.6.1.4.1.19376.1.4.1.6.5.758

Selection	Definition	Source	Code	Code System
Troponin I			10839-9	LOINC
Troponin T			6598-7	LOINC

Element: 14601

Troponin Not Drawn

Coding Instruction: Indicate if the troponin was not drawn.

Target Value: N/A

Element: 14602

Troponin Test Location

Coding Instruction: Indicate if the troponin blood sample was run at the point of care (POC) or in the laboratory.

Target Value: The value on arrival or prior to discharge

Troponin Test Location

Selection	Definition	Source	Code	Code System
Lab			112000000387	ACC NCDR
POC			112000000388	ACC NCDR

Element: 14603

Lab Troponin Assay and URL

Coding Instruction: Indicate the assay used for the troponin sample that was processed in the lab.

Target Value: The value on arrival or prior to discharge

Element: 14604

Point of Care Troponin Assay and URL

Coding Instruction: Indicate the assay used for the troponin sample that was processed at the point of care.

Target Value: The value on arrival or prior to discharge

Element: 14605

Troponin

Coding Instruction: Indicate the Troponin value.

Note(s):

Labs obtained at a previous facility are permissible.

If the value is reported using a "<" symbol (e.g., <0.02), record the number only (e.g., 0.02).

Target Value: The highest value on arrival or prior to discharge

Element: 14607

Brain Natriuretic Peptide

Coding Instruction: Indicate the brain natriuretic peptide (BNP) value.

Note(s):

Labs obtained at a previous facility are permissible.

Target Value: The highest value on arrival or prior to discharge

Element: 14608

Brain Natriuretic Peptide Not Drawn

Coding Instruction: Indicate if the brain natriuretic peptide (BNP) was not drawn.

Target Value: N/A

Element: 14611

N-Terminal Pro B-type Natriuretic Peptide

Coding Instruction: Indicate the N-Terminal Pro B-type Natriuretic Peptide (NT-proBNP) value.

Section: Labs

Parent: COVID-19 Hospital Course

Note(s):
Labs obtained at a previous facility are permissible.

Target Value: The highest value on arrival or prior to discharge

Element: 14612

N-Terminal Pro B-type Natriuretic Peptide Not Drawn

Coding Instruction: Indicate if the N-Terminal Pro B-type Natriuretic Peptide (NT-proBNP) was not drawn.

Target Value: N/A

Element: 14609

C-Reactive Protein

Coding Instruction: Indicate the C-reactive protein (CRP) value.

Note(s):
Labs obtained at a previous facility are permissible.

Target Value: The highest value on arrival or prior to discharge

Element: 14610

C-Reactive Protein Not Drawn

Coding Instruction: Indicate if the C-reactive protein (CRP) was not drawn.

Target Value: N/A

Element: 14613

D-Dimer

Coding Instruction: Indicate the D-Dimer value.

Note(s):
Labs obtained at a previous facility are permissible.

Target Value: The highest value on arrival or prior to discharge

Element: 14615

D-Dimer Not Drawn

Coding Instruction: Indicate if the D-Dimer was not drawn.

Target Value: N/A

Element: 14619

Lactate Dehydrogenase

Coding Instruction: Indicate the lactate dehydrogenase (LDH) value.

Note(s):
Labs obtained at a previous facility are permissible.

Target Value: The highest value on arrival or prior to discharge

Element: 14620

Lactate Dehydrogenase Not Drawn

Coding Instruction: Indicate if the lactate dehydrogenase (LDH) was not drawn.

Target Value: N/A

Section: Hospital Course
Parent: COVID-19 Hospital Course
Element: 14616
COVID-19 Therapies

Coding Instruction: Indicate the COVID-19 therapies that were administered.

Note(s): If the patient was enrolled in a clinical trial and therapies were blinded, select "clinical drug/treatment trial" and enter the clinical trial information in the subsequent fields.

Target Value: Any occurrence between arrival and discharge

COVID-19 Therapies - 1.3.6.1.4.1.19376.1.4.1.6.5.757

Selection	Definition	Source	Code	Code System
Aviptadil			423560002	SNOMED CT
Hydroxychloroquine			5521	RxNorm
Azithromycin			18631	RxNorm
Interferon			112000001993	ACC NCDR
Bevacizumab			253337	RxNorm
Intravenous Corticosteroids			112000001994	ACC NCDR
Chloroquine			2393	RxNorm
Intravenous Immunoglobulin			42386	RxNorm
Convalescent Plasma			112000001989	ACC NCDR
Pirfenidone			1592254	RxNorm
Eculizumab			591781	RxNorm
Remdesivir			2284718	RxNorm
Famotidine			4278	RxNorm
Sarilumab			1923319	RxNorm
Fibrinolysis			385538006	SNOMED CT
Tocilizumab			612865	RxNorm
Fingolimod			1012892	RxNorm
Clinical Drug or Treatment Trial			185922005	SNOMED CT

Element: 14621
COVID-19 Therapies None Administered

Coding Instruction: Indicate if none of the listed COVID-19 therapies were administered during the episode of care.

Target Value: N/A

Element: 14622
Patient Enrolled in Clinical Trial

Coding Instruction: Indicate if the patient is enrolled in a clinical trial specific to the treatment of COVID-19.

Target Value: Any occurrence between arrival and discharge

Element: 14617
Events During Hospitalization

Coding Instruction: Indicate the event(s) that occurred.

Note(s):

If the event was previously documented in the base dataset, also document it in this event list.

Target Value: Any occurrence between arrival and discharge

Events During Hospitalization - 1.3.6.1.4.1.19376.1.4.1.6.5.755

Selection	Definition	Source	Code	Code System
Atrial Fibrillation	Atrial Fibrillation is a supraventricular tachyarrhythmia characterized by uncoordinated atrial activity with consequent deterioration of atrial mechanical function. Fibrillation On the electrocardiogram (ECG), atrial fibrillation is characterized by the replacement of consistent P waves with rapid oscillations or fibrillation waves that vary in amplitude, shape and timing, associated with an irregular, frequently rapid ventricular response when atrioventricular conduction is intact.	ACC/AHA 2006 Data Standards for Measuring Clinical Management and Outcomes of Patients with Atrial Fibrillation	49436004	SNOMED CT
Noninvasive Positive Pressure Ventilation	Noninvasive positive pressure ventilation is the administration of ventilatory support without utilizing an artificial airway such as an endotracheal tube or tracheostomy.	Jones LD, Park JG. Noninvasive positive pressure ventilation. Hosp Med Clin;3:(2014), e149-e161.	447837008	SNOMED CT

Note(s):

This includes any of the following devices with ventilation delivered nasally, via mask or helmet:

1. Bilevel positive airway pressure (BiPAP)
2. Continuous positive airway pressure (CPAP)
3. Other non-invasive positive pressure devices

Section: Hospital Course		Parent: COVID-19 Hospital Course		
Ventricular Fibrillation	Fibrillation is an uncontrolled twitching or quivering of muscle fibers occurring in the lower chambers of the heart (ventricles).		71908006	SNOMED CT
Venovenous Extracorporeal Membrane Oxygenation	Venovenous extracorporeal membrane oxygenation (VV ECMO) is a system that drains blood from a large central vein and pumps it through a gas-exchange device that oxygenates the blood while removing carbon dioxide before returning it through a large central vein. Note(s): ECMO utilized to provide ventricular support is not captured here (e.g. VA ECMO)	Fan E, Del Sorbo L, Goligh EC, et al. An Official American Thoracic Society/European Society of Intensive Care Medicine/Society of Critical Care Medicine Clinical Practice Guideline: Mechanical Ventilation in Adults with Acute Respiratory Distress Syndrome. Am J Resp Crit Care Med;195:9, 1253-1263.	786453001	SNOMED CT
Ventricular Tachycardia	Ventricular tachycardia (VT) that is > 30 seconds in duration and/or requires termination due to hemodynamic compromise in < 30 seconds.		25569003	SNOMED CT
Renal Replacement Therapy	Renal replacement therapy includes any of the following: 1. Hemodialysis 2. Peritoneal Dialysis 3. Continuous Venous Venous Hemofiltration 4. Continuous Venous Hemodialysis		265764009	SNOMED CT
Heart Failure	Heart failure is a complex clinical syndrome that results from any structural or functional impairment of ventricular filling or ejection of blood. The cardinal manifestations of HF are dyspnea and fatigue, which may limit exercise tolerance, and fluid retention, which may lead to pulmonary and/or splanchnic congestion and/or peripheral edema. Some patients have exercise intolerance but little evidence of fluid retention, whereas others complain primarily of edema, dyspnea, or fatigue. Because some patients present without signs or symptoms of volume overload, the term "heart failure" is preferred over "congestive heart failure." There is no single diagnostic test for HF because it is largely a clinical diagnosis based on a careful history and physical examination.	2013 ACCF/AHA Guideline for the Management of Heart Failure; J Am Coll Cardiol. 2013;62(16):e147-e239. doi:10.1016/j.jacc.2013.05.019	84114007	SNOMED CT
Stroke - Embolic	An embolic stroke is an acute episode of focal or global neurological dysfunction caused by a blood clot which formed elsewhere in the body and traveled in the bloodstream to the brain.		371041009	SNOMED CT
Myocarditis	Myocarditis is an inflammatory disease of the myocardium resulting from viral infections and/or post-viral immune-mediated responses.	Kindermann I, Barth C, Mahfoud F, et al. Update on Myocarditis. J Am Coll Cardiol 2012;59:779-792.	50920009	SNOMED CT
Stroke - Hemorrhagic	Hemorrhage may be a consequence of ischemic stroke. In this situation, the stroke is an ischemic stroke with hemorrhagic transformation and not a hemorrhagic stroke. Hemorrhagic stroke is defined as an acute episode of focal or global cerebral or spinal dysfunction caused by intraparenchymal, intraventricular, or subarachnoid hemorrhage. Note: Subdural hematomas are intracranial hemorrhagic events and not strokes.	Hicks KA, Tcheng JE, Bozkurt B, et al. 2014 ACC/AHA Key Data Elements and Definitions for Cardiovascular Endpoint Events in Clinical Trials: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Cardiovascular Endpoints Data Standards). J Am Coll Cardiol. 2015;66 (4):403-469. doi:10.1016/j.jacc.2014.12.018.	230706003	SNOMED CT
Pericarditis	Pericarditis is the inflammation of the pericardial layers characterized by chest pain, electrocardiographic changes and often pericardial effusion. It is often the result of an infectious or a noninfectious process but can also be idiopathic.	Chiabrandi JG, Bonaventure A, Vecchie A, et al. Management of acute and recurrent pericarditis. J Am Coll Cardiol 2020;75:76-92.	3238004	SNOMED CT
Stroke - Ischemic	An ischemic stroke is an acute episode of focal or global neurological dysfunction caused by brain, spinal cord, or retinal vascular injury as a result of infarction of central nervous system tissue.		422504002	SNOMED CT
Intravenous Inotrope(s)	Inotropic agents increase myocardial contractility. Any of the following medications are considered inotropes: Amrinone Dobutamine Inamrinone Milrinone		112000001987	ACC NCDR
Stroke - Undetermined	A stroke of undetermined origin is defined as an acute episode of focal or global neurological dysfunction caused by presumed brain, spinal cord, or retinal vascular injury as a result of hemorrhage or infarction but with insufficient information to allow categorization as ischemic or hemorrhagic.		230713003	SNOMED CT

Section: Hospital Course
Parent: COVID-19 Hospital Course

Intravenous Vasopressor(s)	Vasopressor agents cause vasoconstriction. Any of the following medications are considered vasopressors: Dopamine Epinephrine Norepinephrine Phenylephrine Vasopressin		112000001988	ACC NCDR
Deep Venous Thrombosis	Deep vein thrombosis (DVT) refers to the formation of one or more blood clots (a blood clot is also known as a "thrombus," while multiple clots are called "thrombi") in one of the body's large veins, most commonly in the lower limbs (e.g., lower leg or calf)	Office of the Surgeon General. (2008). The surgeon general's call to action to prevent deep vein thrombosis and pulmonary embolism. Retrieved from https://www.ncbi.nlm.nih.gov/books/NBK44184/	128053003	SNOMED CT
Mechanical Ventricular Support			100014009	ACC NCDR
Disseminated Intravascular Coagulation	A syndrome caused by an underlying disease process which leads to the activation of coagulation resulting in bleeding/hemorrhage and intravascular thrombosis.	Boral BM, Williams DJ, Boral LI. Disseminated Intravascular Coagulation. Am J Clin Path; 146:6, 670-680.	67406007	SNOMED CT
Pneumonia			233604007	SNOMED CT
Pulmonary Embolus	Intravascular migration of a venous thrombus to the pulmonary arterial circulation. A "Proved Pulmonary Embolism" is proved by a positive pulmonary angiogram, an unequivocally positive helical CT scan, a 21:44-53 high-probability ventilation-perfusion scan, or autopsy.	Banovac, F., et al. Reporting Standards for Endovascular Treatment of Pulmonary Embolism. Journal of Vascular Interventional Radiology 2010; 21:44-53	59282003	SNOMED CT
Acute Respiratory Distress Syndrome	Acute respiratory distress syndrome (ARDS) is a life-threatening form of respiratory failure characterized by inflammatory edema resulting in severe hypoxemia.	Fan E, Del Sorbo L, Goligh EC, et al. An Official American Thoracic Society/European Society of Intensive Care Medicine/Society of Critical Care Medicine Clinical Practice Guideline: Mechanical Ventilation in Adults with Acute Respiratory Distress Syndrome. Am J Resp Crit Care Med;195:9, 1253-1263.	67782005	SNOMED CT
Other Thrombotic Event	A thrombotic event occurred that is not available for selection.		112000001991	ACC NCDR
Invasive Mechanical Ventilation	Invasive ventilation is the administration of ventilatory support with utilization of an artificial airway such as an endotracheal tube or tracheostomy.		112000001990	ACC NCDR

Element: 14618
Events During Hospitalization None Documented

Coding Instruction: Indicate if none of the listed events occurred during the episode of care.

Target Value: N/A

Element: 14625
Number of Days Mechanically Ventilated
Coding Instruction: Indicate the total number of days the patient was mechanically ventilated.

Note(s):

Count each calendar day the patient received invasive mechanical ventilation; the day ventilation was initiated is day 1.

The total number of days includes invasive mechanical ventilation delivered through either an endotracheal tube or tracheostomy.

Target Value: The value between arrival at this facility and discharge

Element: 14626
Mechanical Ventricular Support Device(s)
Coding Instruction: Indicate all mechanical ventricular support devices used.

Note(s): The device that should be collected in your application are controlled by a Mechanical Ventricular Support Master file. This file is maintained by the NCDR and will be made available on the internet for downloading and importing/updating into your application.

Target Value: All values between arrival at this facility and discharge

Mechanical Ventricular Support Device - 2.16.840.1.113883.3.3478.6.1.24

Selection	Definition	Source	Code	Code System
Cardiopulmonary Support (CPS)			1000142428	ACC NCDR
Extracorporeal membrane oxygenation (ECMO)			233573008	SNOMED CT
Impella: Left Ventricular Support			100014011	ACC NCDR
Impella: Right Ventricular Support			112000000188	ACC NCDR
Intra-aortic balloon pump (IABP)			442807006	SNOMED CT
Left ventricular assist device			232967006	SNOMED CT

Effective for Patient Discharged January 01, 2020

Section: Hospital Course
Parent: COVID-19 Hospital Course

(LVAD)			
Right Ventricular Assist Device (RVAD)		360065002	SNOMED CT
Percutaneous Heart Pump (PHP)		1000142429	ACC NCDR
TandemHeart		100014010	ACC NCDR
Biventricular Axial Flow Impella Catheters (BiPella)		112000001980	ACC NCDR

Section: Clinical Trial
Parent: Hospital Course
Element: 14628
COVID-19 Clinical Trial Identification
Coding Instruction: Indicate the clinical trial name and the national clinical trial number (NCT) for each study the patient was enrolled in.

Note(s): The clinical trial(s) collected in this field are obtained from the clinicaltrials.gov website and controlled by the COVID-19 Clinical Trials Master file. This file is maintained by the NCDR and will be made available on the internet for downloading and importing/updating into your application.

Target Value: N/A

COVID-19 Clinical Trial - 1.3.6.1.4.1.19376.1.4.1.6.5.759

Selection	Definition	Source	Code	Code System
NCT03648372 - TAK-981 in Metastatic Tumors or Malignancies			NCT03648372	clinicaltrials.gov
NCT03808922 - DAS181 Lower Tract PIV in Immunocompromised			NCT03808922	clinicaltrials.gov
NCT03852537 - Steroid Dosing Guided Titration in Pneumonia			NCT03852537	clinicaltrials.gov
NCT04278404 - Understudied Drugs Administered to Children			NCT04278404	clinicaltrials.gov
NCT04280705 - Adaptive COVID-19 Treatment Trial			NCT04280705	clinicaltrials.gov
NCT04283461 - Vaccine (mRNA-1273) for Prophylaxis of COVID			NCT04283461	clinicaltrials.gov
NCT04292730 - Remdesivir in Moderate COVID			NCT04292730	clinicaltrials.gov
NCT04292899 - Remdesivir in Severe COVID			NCT04292899	clinicaltrials.gov
NCT04305457 - Nitric Oxide Gas for Mild/Moderate COVID			NCT04305457	clinicaltrials.gov
NCT04306393 - Nitric Oxide in Severe Acute Respiratory Syndrome			NCT04306393	clinicaltrials.gov
NCT04308668 - Post-exposure Prophylaxis / Preemptive Therapy			NCT04308668	clinicaltrials.gov
NCT04311177 - Losartan for Patient Not Requiring Hospitalization			NCT04311177	clinicaltrials.gov
NCT04311697 - IV Aviptadil for Acute Respiratory Distress			NCT04311697	clinicaltrials.gov
NCT04312009 - Losartan for Patients Requiring Hospitalization			NCT04312009	clinicaltrials.gov
NCT04312997 - PUL-042 Inhalation to Reduce Severity of COVID			NCT04312997	clinicaltrials.gov
NCT04313023 - PUL-042 in Adults Exposed to SARS-CoV-2			NCT04313023	clinicaltrials.gov
NCT04315298 - Sarilumab in Hospitalized Patients With COVID			NCT04315298	clinicaltrials.gov
NCT04317040 - CD24Fc as a Non-antiviral Immunomodulator			NCT04317040	clinicaltrials.gov
NCT04318444 - Hydroxychloroquine Post Exposure Prophylaxis			NCT04318444	clinicaltrials.gov
NCT04319445 - Mindfulness During COVID-19			NCT04319445	clinicaltrials.gov
NCT04319731 - Human Amniotic Fluid for Respiratory Failure			NCT04319731	clinicaltrials.gov
NCT04320472 - Acute Encephalopathy in Critically Ill COVID			NCT04320472	clinicaltrials.gov
NCT04320511 - Beaumont Quantitative Lung Function Imaging			NCT04320511	clinicaltrials.gov

Section: Clinical Trial	Parent: Hospital Course		
NCT04320615 - Tocilizumab in Severe COVID Pneumonia		NCT04320615	clinicaltrials.gov
NCT04320862 - COVID-19 Pandemic Response Network		NCT04320862	clinicaltrials.gov
NCT04321369 - Impact of Swab Site and Collector on Sensitivity		NCT04321369	clinicaltrials.gov
NCT04321811 - Behavior, Environment And Treatments for Covid-19		NCT04321811	clinicaltrials.gov
NCT04322682 - Colchicine Coronavirus SARS-CoV2 Trial		NCT04322682	clinicaltrials.gov
NCT04323761 - Remdesivir for the Treatment of COVID-19		NCT04323761	clinicaltrials.gov
NCT04323787 - Viral Infection and Respiratory Illness Study		NCT04323787	clinicaltrials.gov
NCT04323839 - Pregnancy CoRonavirus Outcomes RegisTrY		NCT04323839	clinicaltrials.gov
NCT04325906 - Early PP With HFNC in COVID Induced ARDS		NCT04325906	clinicaltrials.gov
NCT04326036 - cSVF Via IV for Residual Lung Damage		NCT04326036	clinicaltrials.gov
NCT04326309 - Audio Data Collection Classification of Coughing		NCT04326309	clinicaltrials.gov
NCT04326426 - Tradipitant in Severe or Critical COVID		NCT04326426	clinicaltrials.gov
NCT04326452 - Treating With Bidirectional Oxygenation Valve		NCT04326452	clinicaltrials.gov
NCT04327804 - Longitudinal Study of COVID Nasal Swabs and Blood		NCT04327804	clinicaltrials.gov
NCT04328012 - Comparison Of Therapeutics for Patients		NCT04328012	clinicaltrials.gov
NCT04328467 - Pre-exposure Prophylaxis for SARS-Coronavirus-2		NCT04328467	clinicaltrials.gov
NCT04328961 - Hydroxychloroquine for COVID-19 PEP		NCT04328961	clinicaltrials.gov
NCT04329533 - Mobile App on Perceived Stress		NCT04329533	clinicaltrials.gov
NCT04329832 - Hydroxychloroquine vs. Azithromycin for COVID-19		NCT04329832	clinicaltrials.gov
NCT04329897 - Acceptance and Commitment Therapy by Software		NCT04329897	clinicaltrials.gov
NCT04329923 - Prevention And Treatment With Hydroxychloroquine		NCT04329923	clinicaltrials.gov
NCT04331366 - Bidirectional O2 Valve in Pulmonary Complications		NCT04331366	clinicaltrials.gov
NCT04331509 - COVID-19 Symptom Tracker		NCT04331509	clinicaltrials.gov
NCT04331795 - Tocilizumab in Non-critical COVID Pneumonitis		NCT04331795	clinicaltrials.gov
NCT04331886 - Observational Study of Coronavirus Disease 2019		NCT04331886	clinicaltrials.gov
NCT04331899 - Peginterferon Lambda-1a in Outpatient Mild COVID		NCT04331899	clinicaltrials.gov
NCT04332081 - Hyperbaric Oxygen for COVID-19 Patients		NCT04332081	clinicaltrials.gov
NCT04332107 - Azithromycin for Treatment in Outpatients		NCT04332107	clinicaltrials.gov
NCT04332991 - Outcomes Related to Hydroxychloroquine		NCT04332991	clinicaltrials.gov

Section: Clinical Trial	Parent: Hospital Course	
NCT04333225 - Hydroxychloroquine in Prevention in Workers	NCT04333225	clinicaltrials.gov
NCT04333654 - Hydroxychloroquine in Outpatient Adults With COVID	NCT04333654	clinicaltrials.gov
NCT04333732 - Chloroquine Repurposing to healthWorkers	NCT04333732	clinicaltrials.gov
NCT04333953 - COVID-19 in Patients With HIV	NCT04333953	clinicaltrials.gov
NCT04334382 - Hydroxychloroquine vs. Azithromycin (in Utah)	NCT04334382	clinicaltrials.gov
NCT04334460 - BLD-2660 in Hospitalized Subjects	NCT04334460	clinicaltrials.gov
NCT04334512 - Quintuple Therapy to Treat COVID	NCT04334512	clinicaltrials.gov
NCT04334954 - SARS-COV2 Pandemic Serosurvey and Blood Sampling	NCT04334954	clinicaltrials.gov
NCT04334967 - Hydroxychloroquine Compared to Standard of Care	NCT04334967	clinicaltrials.gov
NCT04335084 - Hydroxychloroquine, Vitamins, Zinc for Prevention	NCT04335084	clinicaltrials.gov
NCT04335123 - Study of Open Label Losartan	NCT04335123	clinicaltrials.gov
NCT04335552 - Hydroxychloroquine, Azithromycin for Severe COVID	NCT04335552	clinicaltrials.gov
NCT04335630 - CV Manifestations of COVID-19	NCT04335630	clinicaltrials.gov
NCT04336215 - Rutgers COVID-19 Cohort Study	NCT04336215	clinicaltrials.gov
NCT04336332 - Azithromycin and Hydroxychloroquine for COVID	NCT04336332	clinicaltrials.gov
NCT04336410 - INO-4800 for COVID in Healthy Volunteers	NCT04336410	clinicaltrials.gov
NCT04336774 - CAPTION AI to Minimize Risk of COVID Exposure	NCT04336774	clinicaltrials.gov
NCT04337762 - Beat COVID-19 - Observational Trial	NCT04337762	clinicaltrials.gov
NCT04338009 - Elimination or Prolongation of ACE-I and ARB	NCT04338009	clinicaltrials.gov
NCT04338074 - TXA and COVID19 in Outpatients	NCT04338074	clinicaltrials.gov
NCT04338126 - Tranexamic Acid and COVID in Inpatients	NCT04338126	clinicaltrials.gov
NCT04338347 - CAP-1002 in Severe COVID-19	NCT04338347	clinicaltrials.gov
NCT04338360 - Expanded Access to Convalescent Plasma Treatment	NCT04338360	clinicaltrials.gov
NCT04338828 - Nitric Oxide Inhalation Therapy in the ED	NCT04338828	clinicaltrials.gov
NCT04339387 - COVID-19 Risk Stratification	NCT04339387	clinicaltrials.gov
NCT04339426 - Atovaquone and Azithromycin Combination for COVID	NCT04339426	clinicaltrials.gov
NCT04339634 - Risk With Drugs Repurposed for Treatment in Frail	NCT04339634	clinicaltrials.gov
NCT04339790 - Mental Health Impact of COVID Pandemic	NCT04339790	clinicaltrials.gov
NCT04339998 - Exam Findings in COVID With POCUS	NCT04339998	clinicaltrials.gov
NCT04340050 - COVID-19	NCT04340050	clinicaltrials.gov

Section: Clinical Trial	Parent: Hospital Course	
Convalescent Plasma		
NCT04340232 - Safety and Efficacy of Baricitinib	NCT04340232	clinicaltrials.gov
NCT04340479 - Use of Ultrasound as Part of a Trauma Evaluation	NCT04340479	clinicaltrials.gov
NCT04340557 - Angiotensin Receptor Blockers in ARDS-COVID	NCT04340557	clinicaltrials.gov
NCT04341012 - Breath Analysis Based Disease Biomarkers	NCT04341012	clinicaltrials.gov
NCT04341116 - TJ003234 (Anti-GM-CSF Antibody) in COVID	NCT04341116	clinicaltrials.gov
NCT04341441 - Will Hydroxychloroquine Impede or Prevent COVID-19	NCT04341441	clinicaltrials.gov
NCT04341675 - Sirolimus in Patients With COVID Pneumonia	NCT04341675	clinicaltrials.gov
NCT04341727 - Hydroxychloroquine, Azithromycin in Treatment	NCT04341727	clinicaltrials.gov
NCT04341935 - Effects of DPP4 Inhibition on COVID-19	NCT04341935	clinicaltrials.gov
NCT04342169 - Univ. Utah COVID-19 Hydrochloroquine	NCT04342169	clinicaltrials.gov
NCT04342195 - Convalescent Specimens for Antibodies	NCT04342195	clinicaltrials.gov
NCT04342637 - COVID-19 Endoscopy Survey	NCT04342637	clinicaltrials.gov
NCT04342663 - Fluvoxamine for Symptomatic Individuals With COVID	NCT04342663	clinicaltrials.gov
NCT04342728 - Using Ascorbic Acid and Zinc Supplementation	NCT04342728	clinicaltrials.gov
NCT04342806 - Healthcare Worker Exposure Response and Outcomes	NCT04342806	clinicaltrials.gov
NCT04342884 - COVID-19 Community Research Partnership	NCT04342884	clinicaltrials.gov
NCT04342897 - LY3127804 in COVID-19	NCT04342897	clinicaltrials.gov
NCT04343183 - Hyperbaric Oxygen Therapy (HBOT) as a Treatment	NCT04343183	clinicaltrials.gov
NCT04343261 - Convalescent Plasma in the Treatment of COVID 19	NCT04343261	clinicaltrials.gov
NCT04343651 - Leronlimab for Mild to Moderate COVID-19	NCT04343651	clinicaltrials.gov
NCT04343690 - COPING With COVID-19	NCT04343690	clinicaltrials.gov
NCT04343755 - Convalescent Plasma as Treatment	NCT04343755	clinicaltrials.gov
NCT04343898 - Treatment and Outcomes in Critically Ill Patients	NCT04343898	clinicaltrials.gov
NCT04343976 - PEGylated Interferon Lambda Treatment for COVID-19	NCT04343976	clinicaltrials.gov
NCT04343989 - IL-6-I Clazakizumab in Life-threatening COVID	NCT04343989	clinicaltrials.gov
NCT04344015 - COVID-19 Plasma Collection	NCT04344015	clinicaltrials.gov
NCT04344184 - Early Vitamin C for Treatment of Acute Lung Injury	NCT04344184	clinicaltrials.gov

Section: Clinical Trial	Parent: Hospital Course		
NCT04344236 - Gargling/Nasal Rinse to Reduce Oro/Naso Viral Load		NCT04344236	clinicaltrials.gov
NCT04344444 - Treatment in Suspected or Confirmed COVID		NCT04344444	clinicaltrials.gov
NCT04344457 - Hydroxychloroquine, Indomethacin and Zithromax		NCT04344457	clinicaltrials.gov
NCT04344535 - Convalescent Plasma vs. Standard Plasma		NCT04344535	clinicaltrials.gov
NCT04344587 - smartphone-based Trial Non-ICU Prone Positioning		NCT04344587	clinicaltrials.gov
NCT04344600 - Peginterferon Lambda for Prevention and Treatment		NCT04344600	clinicaltrials.gov
NCT04344977 - Collection of Anti-SARS-CoV-2 Immune Plasma		NCT04344977	clinicaltrials.gov
NCT04345601 - Stromal Cells for COVID Respiratory Failure		NCT04345601	clinicaltrials.gov
NCT04345614 - CM4620-Injectable Emulsion in COVID Pneumonia		NCT04345614	clinicaltrials.gov
NCT04345653 - Hydroxychloroquine Chemoprevention for High Risk		NCT04345653	clinicaltrials.gov
NCT04345692 - Hydroxychloroquine for the Treatment of COVID		NCT04345692	clinicaltrials.gov
NCT04346615 - Vazegepant in patients Requiring Supplemental O2		NCT04346615	clinicaltrials.gov
NCT04346628 - Favipiravir Compared to Standard Supportive Care		NCT04346628	clinicaltrials.gov
NCT04347226 - Anti-Interleukin-8 for Patients With COVID		NCT04347226	clinicaltrials.gov
NCT04347239 - Leronlimab for Severe or Critical COVID		NCT04347239	clinicaltrials.gov
NCT04347538 - Nasal Saline Irrigations on Viral Load		NCT04347538	clinicaltrials.gov
NCT04347954 - PVP-I Nasal Sprays and Nasopharyngeal Titters		NCT04347954	clinicaltrials.gov
NCT04347993 - Prospective "Universal" Observational Database		NCT04347993	clinicaltrials.gov
NCT04348240 - Transmissibility and Viral Load in Oral Secretions		NCT04348240	clinicaltrials.gov
NCT04348370 - BCG Vaccine for Health Care Workers		NCT04348370	clinicaltrials.gov
NCT04348435 - Hope Biosciences Allogeneic Mesenchymal Stem Cell		NCT04348435	clinicaltrials.gov
NCT04348864 - Antibody Self-testing Using Virtual Point-of-care		NCT04348864	clinicaltrials.gov
NCT04349098 - Oral Selinexor in Severe COVID		NCT04349098	clinicaltrials.gov
NCT04349202 - Beaumont Large-scale Automated Serologic Testing		NCT04349202	clinicaltrials.gov
NCT04349371 - Saved From COVID-19		NCT04349371	clinicaltrials.gov
NCT04349410 - The Fleming Directed CoVid Protocol		NCT04349410	clinicaltrials.gov
NCT04349631 - Autologous Mesenchymal Stem Cell Therapy		NCT04349631	clinicaltrials.gov
NCT04350073 - Longitudinal		NCT04350073	clinicaltrials.gov

Section: Clinical Trial	Parent: Hospital Course	
Energy Expenditure in COVID		
NCT04350450 - Hydroxychloroquine Treatment (Montefiore)	NCT04350450	clinicaltrials.gov
NCT04350476 - COVID-19 Remote Monitoring	NCT04350476	clinicaltrials.gov
NCT04350593 - Dapagliflozin in Respiratory Failure	NCT04350593	clinicaltrials.gov
NCT04351152 - Lenzilumab in Hospitalized COVID Pneumonia	NCT04351152	clinicaltrials.gov
NCT04351243 - Gimsilumab in Lung Injury or ARDS due to COVID	NCT04351243	clinicaltrials.gov
NCT04351620 - High-dose Hydroxychloroquine for Mild COVID	NCT04351620	clinicaltrials.gov
NCT04351880 - A Trial of Medically Tailored Meals Post Discharge	NCT04351880	clinicaltrials.gov
NCT04352634 - Covid-19 HEalth caRe wOrkErS	NCT04352634	clinicaltrials.gov
NCT04352764 - COVID ANTIBODY BASED TESTS in Healthcare Settings	NCT04352764	clinicaltrials.gov
NCT04352946 - HHealth Care Worker pROphylaxis Against COVID	NCT04352946	clinicaltrials.gov
NCT04353037 - PATCH 2&3:Prevention COVID With Hydroxychloroquine	NCT04353037	clinicaltrials.gov
NCT04353206 - Convalescent Plasma in ICU Respiratory Failure	NCT04353206	clinicaltrials.gov
NCT04353271 - Trial of Hydroxychloroquine In Covid-19 Kinetics	NCT04353271	clinicaltrials.gov
NCT04353401 - WGS ANALYSIS OF SARS-COV-2 POSITIVE PATIENTS	NCT04353401	clinicaltrials.gov
NCT04354155 - Anticoagulation in Children	NCT04354155	clinicaltrials.gov
NCT04354428 - Treatment for COVID in High-Risk Adult Outpatients	NCT04354428	clinicaltrials.gov
NCT04354701 - COVID-19 and Cancer Consortium Registry	NCT04354701	clinicaltrials.gov
NCT04354714 - Ruxolitinib to Combat COVID-19	NCT04354714	clinicaltrials.gov
NCT04354870 - COVID-19 Prep HCV HCQ Study	NCT04354870	clinicaltrials.gov
NCT04355143 - Colchicine to Reduce Myocardial Injury	NCT04355143	clinicaltrials.gov
NCT04355728 - Use of UC-MSCs for COVID-19	NCT04355728	clinicaltrials.gov
NCT04355767 - Convalescent Plasma in ER	NCT04355767	clinicaltrials.gov
NCT04355897 - CoVID-19 Plasma in Treatment of COVID-19 Patients	NCT04355897	clinicaltrials.gov
NCT04356443 - Non-Invasive Monitoring of Respiratory Function	NCT04356443	clinicaltrials.gov
NCT04356690 - Etoposide in COVID-19	NCT04356690	clinicaltrials.gov
NCT04356937 - Efficacy of Tocilizumab on COVID-19	NCT04356937	clinicaltrials.gov
NCT04357041 - Dietary Intake, Physical Activity, Well-being	NCT04357041	clinicaltrials.gov
NCT04357574 - Radiotherapy During Changes in Response to COVID	NCT04357574	clinicaltrials.gov
NCT04357782 - IV Vitamin C in	NCT04357782	clinicaltrials.gov

Section: Clinical Trial
Parent: Hospital Course

COVID-19 and Decreased Oxygenation		NCT04358003	clinicaltrials.gov
NCT04358003 - Plasma Adsorption in Confirmed COVID		NCT04358029	clinicaltrials.gov
NCT04358029 - Cardiac Arrhythmias In COVID		NCT04358068	clinicaltrials.gov
NCT04358068 - Efficacy of Hydroxychloroquine and Azithromycin		NCT04358211	clinicaltrials.gov
NCT04358211 - Convalescent Plasma to Treat Pulm. Complications		NCT04358510	clinicaltrials.gov
NCT04358510 - COVID-19 Mortality Prediction Model		NCT04358536	clinicaltrials.gov
NCT04358536 - COVID-19 in Posteroanterior Chest X-rays		NCT04358549	clinicaltrials.gov
NCT04358549 - Favipiravir in Hospitalized patients With COVID		NCT04359277	clinicaltrials.gov
NCT04359277 - Anticoagulation Strategies in COVID-19		NCT04359329	clinicaltrials.gov
NCT04359329 - Estrogen Patch for COVID-19 Symptoms		NCT04359602	clinicaltrials.gov
NCT04359602 - COVID-19 Recovered Volunteer Research Registry		NCT04359797	clinicaltrials.gov
NCT04359797 - COVID-19 Patient Positioning Pragmatic Trial		NCT04359810	clinicaltrials.gov
NCT04359810 - Plasma Therapy of COVID in Critically Ill Patients		NCT04359836	clinicaltrials.gov
NCT04359836 - the Role of Gut Flora in COVID Infection		NCT04359901	clinicaltrials.gov
NCT04359901 - Sarilumab for Moderate COVID		NCT04360278	clinicaltrials.gov
NCT04360278 - Plasma Collection From Convalescent or Immunized		NCT04360538	clinicaltrials.gov
NCT04360538 - Long Term Outcomes of Patients With COVID-19		NCT04360551	clinicaltrials.gov
NCT04360551 - Telmisartan for Pulmonary and CV Complications		NCT04360850	clinicaltrials.gov
NCT04360850 - Telehealth by Mental Health Care Professionals		NCT04360954	clinicaltrials.gov
NCT04360954 - Evaluation of Antibody Tests for COVID-19		NCT04361123	clinicaltrials.gov
NCT04361123 - Atrium COVID Syndromic and Serologic Surveillance		NCT04361214	clinicaltrials.gov
NCT04361214 - Leflunomide in Mild COVID-19 Patients		NCT04361552	clinicaltrials.gov
NCT04361552 - Tocilizumab for Cytokine Release Syndrome in COVID		NCT04362150	clinicaltrials.gov
NCT04362150 - Long-term Impact of Infection With COVID		NCT04362176	clinicaltrials.gov
NCT04362176 - Passive Immunity Trial of Nashville II for COVID		NCT04362189	clinicaltrials.gov
NCT04362189 - Allogeneic HB-adMSCs for Treatment		NCT04362813	clinicaltrials.gov
NCT04362813 - Canakinumab for CRS in COVID-induced Pneumonia		NCT04362865	clinicaltrials.gov
NCT04362865 - B- and T-cell Response in Acute and Resolved COVID			

Effective for Patient Discharged January 01, 2020

Section: Clinical Trial	Parent: Hospital Course	
NCT04362995 - St. Jude Tracking of Viral and Host Factors	NCT04362995	clinicaltrials.gov
NCT04363203 - Remote Equitable Access to COVID-19 Healthcare	NCT04363203	clinicaltrials.gov
NCT04363268 - Master Digital Surveillance Protocol for COVID	NCT04363268	clinicaltrials.gov
NCT04363346 - FT516 for the Treatment of Patients With Hypoxia	NCT04363346	clinicaltrials.gov
NCT04363437 - Colchicine in Moderate-severe Patient Before ARDS	NCT04363437	clinicaltrials.gov
NCT04363450 - Hydroxychloroquine as Prophylaxis	NCT04363450	clinicaltrials.gov
NCT04363866 - Hydroxychloroquine in COVID-19	NCT04363866	clinicaltrials.gov
NCT04364737 - Convalescent Plasma to Limit Complications	NCT04364737	clinicaltrials.gov
NCT04364802 - Povidone-Iodine Intranasal Prophylaxis	NCT04364802	clinicaltrials.gov
NCT04365127 - Progesterone for Treatment of COVID-19	NCT04365127	clinicaltrials.gov
NCT04365153 - Canakinumab for Cardiac and Respiratory Function	NCT04365153	clinicaltrials.gov
NCT04365257 - Prazosin to Prevent COVID-19	NCT04365257	clinicaltrials.gov
NCT04365699 - CV Effects of COVID-19	NCT04365699	clinicaltrials.gov
NCT04365985 - Immunomodulation Using Naltrexone and Ketamine	NCT04365985	clinicaltrials.gov
NCT04366791 - Radiation Eliminates Storming Cytokines and Edema	NCT04366791	clinicaltrials.gov
NCT04366830 - Mesenchymal Stromal Cells for ARDS Due to COVID	NCT04366830	clinicaltrials.gov
NCT04366986 - COVID Exposure in Pregnancy	NCT04366986	clinicaltrials.gov
NCT04367077 - MultiStem Administration for COVID Induced ARDS	NCT04367077	clinicaltrials.gov
NCT04367740 - Determine Asymptomatic Who Have Antibodies	NCT04367740	clinicaltrials.gov
NCT04367831 - Anticoags for Veno- or Arterial Thromboembolism	NCT04367831	clinicaltrials.gov
NCT04367857 - COVID-19 Seroprevalence Among Healthcare Workers	NCT04367857	clinicaltrials.gov
NCT04368065 - Factors That May Impact COVID Occurrence	NCT04368065	clinicaltrials.gov
NCT04368234 - Duke COVID-19 Shared Data and Specimen Repository	NCT04368234	clinicaltrials.gov
NCT04368260 - Validation of Molded Flocked Nasopharyngeal Swabs	NCT04368260	clinicaltrials.gov
NCT04368728 - RNA Vaccine Against COVID in Healthy Adults	NCT04368728	clinicaltrials.gov
NCT04369599 - Trans Thoracic Manipulation Ventilation/Perfusion	NCT04369599	clinicaltrials.gov
NCT04369742 - Treating	NCT04369742	clinicaltrials.gov

Section: Clinical Trial
Parent: Hospital Course

COVID-19 With Hydroxychloroquine		
NCT04369989 - COVID-19 Treatment Efficacy	NCT04369989	clinicaltrials.gov
NCT04370262 - Adaptive Trials Using Hydroxychloroquine	NCT04370262	clinicaltrials.gov
NCT04370782 - Hydroxychloroquine and Zinc in Outpatient Setting	NCT04370782	clinicaltrials.gov
NCT04370821 - Healthcare, First Responder and Service Workers	NCT04370821	clinicaltrials.gov
NCT04370938 - Provider Burnout During COVID-19	NCT04370938	clinicaltrials.gov
NCT04371315 - Acute Infection With COVID In Children	NCT04371315	clinicaltrials.gov
NCT04371393 - MSCs in COVID-19 ARDS	NCT04371393	clinicaltrials.gov
NCT04371432 - Genetics COVID Susceptibility and Manifestations	NCT04371432	clinicaltrials.gov
NCT04371640 - Sirolimus in COVID-19 Phase 1	NCT04371640	clinicaltrials.gov
NCT04372368 - Convalescent Plasma for the Treatment	NCT04372368	clinicaltrials.gov
NCT04372472 - SQuISH-COVID: A Pilot Study	NCT04372472	clinicaltrials.gov
NCT04372602 - Duvelisib to Combat COVID-19	NCT04372602	clinicaltrials.gov
NCT04372628 - Early Therapies During Outpatient Window	NCT04372628	clinicaltrials.gov
NCT04373044 - Antiviral Therapy and Baricitinib for Severe COVID	NCT04373044	clinicaltrials.gov
NCT04373135 - Community Consideration, Opinion, Value, Impact	NCT04373135	clinicaltrials.gov
NCT04373148 - Understanding Immunity to SARS-CoV-2	NCT04373148	clinicaltrials.gov
NCT04373161 - Home Pulse Oximeter Use	NCT04373161	clinicaltrials.gov
NCT04374019 - Novel Agents for Treatment of High-risk Patients	NCT04374019	clinicaltrials.gov
NCT04374071 - Early Short Course Corticosteroids in COVID-19	NCT04374071	clinicaltrials.gov
NCT04374279 - Recovery With Ivermectin or Endocrine Therapy	NCT04374279	clinicaltrials.gov
NCT04374370 - Convalescent Plasma Expanded Access Protocol	NCT04374370	clinicaltrials.gov
NCT04374461 - N-acetylcysteine in COVID	NCT04374461	clinicaltrials.gov
NCT04374552 - Asymptomatic COVID-19 Trial	NCT04374552	clinicaltrials.gov
NCT04374565 - Convalescent Plasma for Patients With Pneumonia	NCT04374565	clinicaltrials.gov
NCT04374786 - Mobile App in House Staff Health and Well-being	NCT04374786	clinicaltrials.gov
NCT04375761 - Human Epidemiology and Response to COVID	NCT04375761	clinicaltrials.gov
NCT04376034 - Convalescent Plasma Collection and Treatment	NCT04376034	clinicaltrials.gov
NCT04376515 - Harnessing	NCT04376515	clinicaltrials.gov

Section: Clinical Trial	Parent: Hospital Course	
Online Peer Education Support		
NCT04376593 - PET/CT Imaging in COVID-19	NCT04376593	clinicaltrials.gov
NCT04376710 - Surgical Telemedicine in the Pandemic Era	NCT04376710	clinicaltrials.gov
NCT04377100 - Impact on Anxiety and Predictors of Responses	NCT04377100	clinicaltrials.gov
NCT04377308 - Fluoxetine to Reduce Intubation and Death	NCT04377308	clinicaltrials.gov
NCT04377412 - Risk for Anxiety and Depression in Pregnant Women	NCT04377412	clinicaltrials.gov
NCT04377581 - Health Messaging Efficacy and Impact on Behavior	NCT04377581	clinicaltrials.gov
NCT04377620 - Ruxolitinib in COVID-ARDS with Mechanical Vent.	NCT04377620	clinicaltrials.gov
NCT04377659 - Tocilizumab for Prevention of Respiratory Failure	NCT04377659	clinicaltrials.gov
NCT04378595 - Pediatric Food Insecurity (Austin)	NCT04378595	clinicaltrials.gov
NCT04378777 - Immunophenotyping Assessment in a COVID Cohort	NCT04378777	clinicaltrials.gov
NCT04378803 - Mindfulness Training for Seniors	NCT04378803	clinicaltrials.gov
NCT04379089 - Neurologic Manifestations of COVID 19 in Children	NCT04379089	clinicaltrials.gov
NCT04379284 - Risks of COVID19 in the Pregnant Population	NCT04379284	clinicaltrials.gov
NCT04379492 - Hydroxychloroquine Compared to Placebo	NCT04379492	clinicaltrials.gov
NCT04379518 - Rintatolimod and IFN Alpha-2b for COVID	NCT04379518	clinicaltrials.gov
NCT04379544 - Value of Point of Care Cardiac and Lung Ultrasound	NCT04379544	clinicaltrials.gov
NCT04379661 - Online Support Groups for MS	NCT04379661	clinicaltrials.gov
NCT04380688 - Acalabrutinib With Best Supportive Care	NCT04380688	clinicaltrials.gov
NCT04380870 - Chinese Herbal Medicine Telehealth Care for COVID	NCT04380870	clinicaltrials.gov
NCT04380948 - NT-I7 to Enhance Immune Clearance of COVID-19	NCT04380948	clinicaltrials.gov
NCT04380961 - Sirukumab in Confirmed Severe or Critical COVID	NCT04380961	clinicaltrials.gov
NCT04381013 - Emergency Ventilator Splitting Between Patients	NCT04381013	clinicaltrials.gov
NCT04381052 - Clazakizumab in Life-threatening COVID Infection	NCT04381052	clinicaltrials.gov
NCT04381988 - Hydroxychloroquine in Radiotherapy	NCT04381988	clinicaltrials.gov
NCT04382391 - Vagus Nerve Stimulation in Respiratory Symptoms	NCT04382391	clinicaltrials.gov
NCT04382586 - Pulmonary Distress Treatment With Zanubrutinib	NCT04382586	clinicaltrials.gov

Section: Clinical Trial	Parent: Hospital Course		
NCT04382625 - Hydroxychloroquine in COVID Pneumonia Trial		NCT04382625	clinicaltrials.gov
NCT04383444 - Surveillance Following Exposure		NCT04383444	clinicaltrials.gov
NCT04383587 - Antibody Seroprevalence in Undiagnosed Workers		NCT04383587	clinicaltrials.gov
NCT04384055 - Predicting Outcomes for Covid-19 Using Sonography		NCT04384055	clinicaltrials.gov
NCT04384445 - Organicell Flow for Patients With COVID-19		NCT04384445	clinicaltrials.gov
NCT04385147 - Advanced Endoscopy During COVID-19		NCT04385147	clinicaltrials.gov
NCT04385199 - Convalescent Plasma for Patients With COVID-19		NCT04385199	clinicaltrials.gov
NCT04385251 - International COVID Infection Observational Study		NCT04385251	clinicaltrials.gov
Other COVID-19 Clinical Trial		112000001998	ACC NCDR

Section: Administration

Parent: Root

Element: 1000	Participant ID
	<p>Coding Instruction: Indicate the participant ID of the submitting facility.</p> <p>Target Value: N/A</p> <p>Supporting Definition: Participant ID</p> <p>Participant ID is a unique number assigned to each database participant by NCDR. A database participant is defined as one entity that signs a Participation Agreement with the NCDR, submits one data submission file to the harvest, and receives one report on their data.</p> <p>Each participant's data if submitted to harvest must be in one data submission file for a quarter. If one participant keeps their data in more than one file (e.g. at two sites), then the data must be combined into a single data submission to the system to file for the harvest. If two or more participants share a single purchased software, and enter cases into one database, then the data must be exported into different data submission files, one for each participant ID.</p> <p>Source: NCDR</p>
Element: 1010	Participant Name
	<p>Coding Instruction: Indicate the full name of the facility where the procedure was performed.</p> <p>Note(s): Values should be full, official hospital names with no abbreviations or variations in spelling.</p> <p>Target Value: N/A</p> <p>Supporting Definition: Participant Name</p> <p>Indicate the full name of the facility where the procedure was performed. Values should be full, official hospital names with no abbreviations or variations in spelling.</p> <p>Source: NCDR</p>
Element: 1020	Time Frame of Data Submission
	<p>Coding Instruction: Indicate the time frame of data included in the data submission. Format: YYYYQQ. e.g.,2016Q1</p> <p>Target Value: N/A</p>
Element: 1040	Transmission Number
	<p>Coding Instruction: This is a unique number created, and automatically inserted by the software into export file. It identifies the number of times the software has created a data submission file. The transmission number should be incremented by one every time the data submission files are exported. The transmission number should never be repeated.</p> <p>Target Value: N/A</p>
Element: 1050	Vendor Identifier
	<p>Coding Instruction: Vendor identification (agreed upon by mutual selection between the vendor and the NCDR) to identify software vendor. This is entered into the schema automatically by vendor software. Vendors must use consistent name identification across sites. Changes to vendor name identification must be approved by the NCDR.</p> <p>Target Value: N/A</p>
Element: 1060	Vendor Software Version
	<p>Coding Instruction: Vendor's software product name and version number identifying the software which created this record (assigned by vendor). Vendor controls the value in this field. This is entered into the schema automatically by vendor software.</p> <p>Target Value: N/A</p>
Element: 1070	Registry Identifier
	<p>Coding Instruction: The NCDR registry identifier describes the data registry to which these records apply. It is implemented in the software at the time the data is collected and records are created. This is entered into the schema automatically by software.</p> <p>Target Value: N/A</p>
Element: 1071	Registry Schema Version
	<p>Coding Instruction: Schema version describes the version number of the Registry Transmission Document (RTD) schema to which each record conforms. It is an attribute that includes a constant value indicating the version of schema file. This is entered into the schema automatically by software.</p> <p>Target Value: N/A</p>

Section: Administration

Parent: Root

Element: 1085

Submission Type

Coding Instruction: Indicate if the data contained in the harvest/data file contains either standard patient episode of care records (arrival date to discharge only) or if it contains patient follow-up records.

A transmission file with all episode of care records (from Arrival to Discharge only) is considered a 'Base Registry Record'.

A file with patient follow-up records (any follow-up assessments performed during the quarter selected) is considered a 'Follow-Up Record'.

Note(s):

Selecting 'Follow-Up Records Only' will transmit all patient records with Follow-up Assessment Dates (Element Ref# 11000) contained in the selected timeframe, regardless of the procedure or discharge date. For example, if a patient has a procedure on 3/30/2017, is discharged on 3/31/2017, and has a follow-up assessment on 5/6/2017, the patient's episode of care data will be transmitted in the 2017Q1 Base Registry Record file, but the Follow-up data will be transmitted in the 2017Q2 Follow-Up File.

Target Value: N/A

Submission Type

Selection	Definition	Source	Code	Code System
Episode of Care Records Only			1000142424	ACC NCDR