In Process, Unpublished NCDR Manuscripts

The following pages list current research and publications proposals that have been recently approved, are under analysis, are under manuscript development, or submitted to a journal for review/publication. Items are listed by registry, and include the ID number and title.

CATH PCI REGISTRY

| RPA | | |
|-----|---|---------------------------|
| ID | Title | Lead Author Email |
| 574 | The Extending Trial-Based Evaluations of Medical Therapies Using Novel Sources of Data (EXTEND) Study | ryeh@bidmc.harvard.edu |
| 573 | PCI operator phenotypes and associations with procedural outcomes | jakedoll@gmail.com |
| 572 | Excimer laser coronary angioplasty: Current use and complications in the NCDR/CATH PCI Registry | msintek@wustl.edu |
| 571 | Assessing that Safety Endpoints are Attributable to Prior Drug-Eluting Coronary Stent Implantation: YNHH-Big Data 2 Knowledge ("BD2K") Use Case Part Four | dhruva@gmail.com |
| 570 | Evaluating Personalized Treatment Effectiveness of PCI Bleeding Avoidance Strategies Using the CathPCI Registry | bobak.mortazavi@yale.edu |
| 569 | Dynamic Changes to Risk of Post-PCI Major Bleeds Throughout a Cardiac Catheterization Laboratory Visit Using the CathPCI Registry | bobak.mortazavi@yale.edu |
| 568 | Machine learning techniques to enhance the prediction of acute kidney injury after percutaneous coronary intervention | karthik.murugiah@yale.edu |
| 567 | Association of Time to Angiography With Outcomes in Post-Cardiac Arrest Patients without ST Elevation Myocardial Infarction | divyanshu26@hotmail.com |
| | Difference in the Utilization of Percutaneous Coronary Intervention for Stable Ischemic Heart Disease Between the US and Japan: Collaborative Analysis of NCDR CathPCI and J-PCI Registry | |
| 566 | | skohsaka@hotmail.com |

December 2018

| RPA | | |
|-----|--|------------------------------|
| ID | Title | Lead Author Email |
| 565 | Comparison of post-percutaneous coronary intervention outcomes among patients treated by male and female interventionists | hafizabdulmoiz@hotmail.com |
| 564 | THE ASSOCIATION OF THE 'RISK-TREATMENT PARADOX' WITH BLEEDING IN PATIENTS UNDERGOING PCI: INSIGHTS TO INFORM THE ACC NATIONAL BLEEDING CAMPAIGN. | nfrogge@wustl.edu |
| 563 | THE ASSOCIATION OF THE 'RISK-TREATMENT PARADOX' WITH BLEEDING IN PATIENTS UNDERGOING PCI: INSIGHTS TO INFORM THE ACC NATIONAL BLEEDING CAMPAIGN. | mthangam@wustl.edu |
| 562 | CARE PATHWAYS FOR ACUTE CORONARY SYNDROMES: AN EVALUATION OF OUTCOMES AND COSTS. | mthangam@wustl.edu |
| 561 | Utility of mechanical circulatory support (MCS) in chronic total occlusion percutaneous coronary intervention (CTO PCI): Gender variations in predictors of use and outcomes | tanvir.k.kahlon@gmail.com |
| 560 | The Association of 'surgical ineligibility' with mortality and PCI complications among patients undergoing unprotected left main PCI: Insights from the NCDR CathPCI Registry | mcneely011@gmail.com |
| 559 | Trends and Outcomes of Patients with Prior Coronary Artery Bypass Surgery (CABG) Surgery Presenting with Acute Coronary Syndrome | ronramad@gmail.com |
| 558 | A Novel Risk Prediction Model to Predict the Risk of Vascular and Bleeding Complications in Impella Assisted High-Risk Percutaneous Coronary Interventions | mthangam@wustl.edu |
| 557 | Comparison of the Association of Body Mass Index (BMI) to First Percutaneous Coronary Intervention (PCI) in Young Patients Under the Age of 50 years to Elderly Patients Age of 65 years and Older | smk9018@nyp.org |
| 556 | Trends and Hospital Variations in the Diagnostic Yield of Elective Cardiac Catheterization | faisal.aslam@yale.edu |
| 555 | Physician-specific rates of Fractional flow reserve testing. | ashvin.pande@gmail.com |
| 553 | Prescribing antianginal medical therapy prior to elective catheterization for chronic stable angina and its impact on future hospitalizations. A look into the NCDR CathPCI registry | yeunjung.kim@yale.edu |
| 552 | The Prevalence and Outcomes of Transradial Access for Percutaneous Coronary Intervention in Patients with Prior Coronary Artery Bypass Grafting | wassef@hotmail.com |
| 551 | Performance of hospitals when assessing disease mortality as compared to procedural mortality for acute myocardial infarction | Ashwin.Nathan@uphs.upenn.edu |

December 2018 2 | P a g e

| RPA | | |
|-----|--|-----------------------------------|
| ID | Title | Lead Author Email |
| 550 | Consequences of Frailty in Older Adults Treated with Percutaneous Coronary Interventions After Acute Myocardial Infarction | adamluji@gmail.com |
| 549 | Anticoagulant vs. High Potency Antiplatelet Therapy for Patients With STEMI and Left Ventricular Dysfunction | guillaume.marquis.gravel@duke.edu |
| 548 | Racial/Ethnic Compositions of CAD Patients Affect Hospital-level Racial Disparities in Acute Coronary Syndrome Treatment and Outcomes | xud9002@nyp.org |
| 546 | Timing of Mechanical Circulatory Support in Percutaneous Coronary Intervention Patients Presenting with Cardiogenic Shock | harisriaz73@yahoo.com |
| 545 | Characteristics and outcomes of patients with prior history of coronary artery bypass grafting undergoing cardiac catheterization via the radial vs. femoral approach | david.manly@gmail.com |
| 544 | Temporal trends and predictors of radial access for Primary Percutaneous Coronary Intervention for STEMI during off-hours. A Report from the National Cardiovascular Data CathPCI Registry | manova.david@aultman.com |
| 543 | Development and validation of a model to predict in-hospital ischemic stroke complicating percutaneous coronary intervention | cbeale@lifespan.org |
| 542 | Hospital Length of Stay and Clinical Outcomes in NSTEMI Patients Undergoing PCI: Insights from the National Cardiovascular Data Registry | Muhammad Khan |
| 540 | Temporal Trends, Predictors and Outcomes associated with use of Embolic Protection Devices in Saphenous Vein Graft Interventions: insights from the NCDR CathPCI registry | shahzebkhan@gmail.com |
| 539 | Physician-specific metrics of ad hoc PCI | ashvin.pande@gmail.com |
| 537 | Timing of Mechanical Circulatory Support and Outcomes of Percutaneous Coronary Intervention in Cardiogenic Shock: An Analysis of the NCDR CathPCI Registry | nsmilowitz@gmail.com |
| 536 | Revascularization Strategies in Patients with Cardiogenic Shock Complicating ST-Segment-Elevation Myocardial Infarction | ddoukas@lumc.edu |
| 535 | In-hospital Renal Outcomes of Patients Undergoing Percutaneous Coronary Intervention (PCI) According to Pre-PCI Hemoglobin Levels | mzhuo@bidmc.harvard.edu |
| 533 | Temporal trends, Geographical patterns, and Associated Outcomes of Rescue PCI for ST Elevation Myocardial Infarction in Clinical Practice. A Report From the National Cardiovascular Data CathPCI Registry | manova.david@aultman.com |
| 530 | Association Between Neighborhood Socioeconomic Status and Outcomes after Percutaneous Coronary Intervention (PCI) in the Contemporary Era | Linda.Koshy@nyumc.org |

December 2018 3 | Page

| RPA | Title | Load Author Empil |
|-----|--|---|
| ID | **** | Lead Author Email |
| 529 | Outcomes in Patients with Acute Myocardial Infarction Cardiogenic Shock with a Focus on Timing and Comparative Efficacy of Mechanical Circulatory Support Devices. | ddoukas@lumc.edu |
| 523 | Uptake and Utilization of Drug-eluting Bioresorbable Vascular Scaffolds: A CathPCI Registry Study | ak189@mail.cumc.columbia.edu |
| 521 | Transradial Artery Access In PCI by Clinical Indication: UK and US | h.v.anderson@uth.tmc.edu |
| 520 | Patterns and Outcomes of Ticagrelor Use in Patients with Renal Dysfunction Undergoing PCI: Insights from the NCDR ® CathPCI Registry | hira.ravi@gmail.com |
| 519 | Percutaneous Coronary Intervention Related Complications, in Hospital Mortality in Nonagenarians: Findings from National Cardiovascular Database Registry, CathPCI | sjalnap@gmail.com |
| 503 | Trends, procedural characteristics and outcomes of young patients presenting with ST-elevation myocardial infarction. Insights from NCDR® | renaire as @gmail agm |
| 501 | Racial differences, outcomes and discrepancies in care of acute ST-elevation myocardial infarction. Insights from NCDR® | rsnairooz@gmail.com rsnairooz@gmail.com |
| 498 | Operator Age and Outcomes of Percutaneous Coronary Intervention: Insights from the NCDR CathPCI Registry | |
| | | jane.lee2@ucsf.edu |
| 494 | The omission of heart transplant recipients from the Appropriate Use Criteria for Revascularization and its impact on high-volume heart transplant centers | Joe.Xie@Emory.edu |
| 492 | Trends in Intravascular Ultrasound and Fractional Flow Reserve Use During Percutaneous Coronary Intervention of Intermediate Severity Lesions in the United States | Nathaniel.Smilowitz@nyumc.org |
| 487 | Concordance and discordance of appropriate ratings for percutaneous coronary intervention between new and old appropriate use criteria | taku.inohara@duke.edu |
| 477 | Contemporary Patterns and Trends in Duration of Antiplatelet Therapy After Percutaneous Coronary Intervention in Patients on Oral Anticoagulants | JAbbott@Lifespan.org |
| 446 | Temporal Trends in Unprotected Left Main Coronary Artery Percutaneous Coronary Intervention in the United States from 2009-2016: Insights from the National Cardiovascular Data Registry | javier.valle@ucdenver.edu |
| 442 | Temporal Trends in Usage and In Hospital Clinical Outcomes of PCI for the Treatment of in Stent Restenosis vs. De Novo Coronary Artery Disease: A Report from the NCDR® CathPCI Registry | drmoussa@hotmail.com |
| 440 | Ad hoc Percutaneous Coronary Intervention in Patients with Stable Coronary Artery Disease | kfaridi@bidmc.harvard.edu |

December 2018 4 | Page

| RPA | | |
|-----|---|---|
| ID | Title | Lead Author Email |
| 426 | Current Landscape of Hybrid Revascularizations: A Report from the National Cardiovascular Data Registry | angela.sandelin@dm.duke.edu |
| 422 | Trends in Use, Outcomes, and Cost Implications of Same Day Discharge Following Elective Percutaneous Coronary Intervention | steven.bradley@allina.com |
| 419 | Comparison of Rates of Bleeding and Vascular Complications Before, During, and After Trial Enrollment in the SAFE-PCI Trial for Women | jennifer.rymer@duke.edu |
| 405 | Stent Selection Among Patients with End Stage Renal Disease Undergoing Elective Percutaneous Coronary Interventions | danfeldman.email@gmail.com |
| 391 | Use and Effectiveness of Manual Aspiration Thrombectomy during Primary Percutaneous Coronary Intervention for the Treatment of ST-Elevation Myocardial Infarction in the US: An Analysis from the NCDR CathPCI Registry | esecemsky@partners.org |
| 387 | Symptom Onset to Door Time, Door to Balloon Time and Mortality in patients with ST Elevation Myocardial Infarction | dadu@bcm.edu |
| 381 | A Patient-centered Approach to Reduce Contrast Volume during Percutaneous Coronary Intervention to prevent Acute Kidney Injury | Alishafiq82@yahoo.com |
| 374 | Trends in Usage and Clinical Outcomes of Coronary Atherectomy for the Treatment of Severe Coronary Artery Disease: A Report from the NCDR® CathPCI Registry | Nirat.Beohar@msmc.com |
| 366 | An Assessment of the Operator Learning Curve for Percutaneous Coronary Intervention of Chronic Total Occlusions. | mnyoung@mgh.harvard.edu |
| 353 | Does hospital mortality performance for older patients undergoing percutaneous coronary intervention (PCI) reflect performance for all patients undergoing PCI? | yulanka.castro- dominguez@yale.edu kumar.dharmarajan@yale.edu |
| 305 | (305B) Temporal trends and regional patterns of operator percutaneous coronary intervention volume in the United States. | alexander.fanaroff@dm.duke.edu |
| 297 | Comparison of percutaneous coronary intervention procedures in China and the US in 2006 and 2011 | robert.mcnamara@yale.edu |
| 276 | The Prevalence, Determinants and Outcomes of Myocardial Infarction with Non-Obstructive Coronary Arteries (MINOCA) | rachel.dreyer@yale.edu |
| 248 | (248 B) Exploiting Physician Variation in Anticoagulation Use to Compare Effectiveness of Bivalirudin versus Heparin for PCI in Routine Practice | ryeh@mgh.harvard.edu |
| 242 | (242 B) Comparative Safety of Aspiration Thrombectomy Catheters Utilizing Prospective, Active Surveillance of the NCDR CathPCI Registry | arjun.majithia@gmail.com frederic.resnic@lahey.org |
| 230 | Percutaneous coronary intervention of Internal mammary artery bypass grafts: Findings from the NCDR to the National Cardiovascular Data Registry (NCDR) | yeo_kk@yahoo.com |
| 216 | PCI Appropriateness in States With and Without Certificate of Need Regulations | philip.chui@yale.edu |

December 2018 5 | P a g e

| RPA ID | Title | Lead Author Email |
|-----------|---|--------------------------------|
| 168 | TOP PCI: QUALITATIVE: A qualitative study of the organizational strategies of high and low performing PCI hospitals: insights from TOP PCI | karl.minges@yale.edu |
| 168 | TOP PCI: Survey: To survey hospitals in order to test hypotheses about which specific hospital organizational strategies are associated with lower risk-standardized 30-day mortality and readmission rates for patients undergoing PCI. | <u>karl.minges@yale.edu</u> |
| 522 | Long-term Outcomes and Resource Utilization Associated with Coronary Stent Restenosis | htamez@bidmc.harvard.edu |
| 590 | Variation of care practices for acute myocardial infarction with multivessel coronary artery disease presenting with cardiogenic shock in the United States: A report from the CathPCI National Cardiovascular Data Registry Research to Practice (R2P) Initiative, 2008-2017 | Rohan.Khera@UTSouthwestern.edu |

CHEST PAIN - MI REGISTRY

| RPA ID | Title | Email |
|--------|---|-----------------------|
| 337 | Prodrug vs Active Metabolite P2Y12 Receptor Inhibitors in Cardiogenic Shock and Primary Coronary Intervention (PCI) | Dr.kattan@gmail.com |
| 336 | Contemporary Trends in the Use of Very Early Invasive Strategy (within < 12 h from admission), its Predictors and Outcomes among Patients with NSTE-ACS | kumara9@ccf.org |
| 335 | Hospital Collaboration with Emergency Medical Services in the Care of Patients with Acute Myocardial Infarction: Results from the Translating Outstanding Performance in Percutaneous Coronary Intervention (TOP PCI) Study | mkarthik118@gmail.com |

December 2018

| RPA ID | Title | Email |
|--------|---|------------------------------------|
| 334 | Temporal Trends of Higher Potency P2Y12 Inhibitor Use and Bleeding Outcomes in Patients with Myocardial Infarction Complicated by Out of Hospital Cardiac Arrest | ajar.kochar@duke.edu |
| 315 | Comparison of Outcomes between Direct-Acting Oral Anti-coagulants and Warfarin in patients with STEMI undergoing Primary Percutaneous Coronary Intervention – An analysis from the NCDR ACTION Registry-GWTG | manantha@umn.edu |
| 314 | Effects of Early vs Delayed Administration of ACE-Inhibitor and ARB on 30-day Mortality After Acute Myocardial Infarction in the United States: Results From the National Cardiovascular Data Registry (NCDR). | cecilia.berardi@yale.edu |
| 313 | | Dharam.Kumbhani@UTSouthwestern.edu |
| | Attributes of high-performing hospitals for cardiogenic shock following acute myocardial infarction | |
| 312 | Practice Patterns and Outcomes of Prophylactic Anticoagulation in Anterior Myocardial Infarction: insights from the ACTION registry | rbhattacharya@mgh.harvard.edu |
| 311 | Hospital Collaboration with Emergency Medical Services in the Care of Patients with Acute Myocardial Infarction: Results from the Translating Outstanding Performance in Percutaneous Coronary Intervention (TOP PCI) Study | aramarnath@gmail.com |
| 310 | Outcomes in Patients with Acute Myocardial Infarction Cardiogenic Shock with a Focus on the Comparative Efficacy of Mechanical Circulatory Support Devices | Lucas.Burke@lumc.edu |
| 309 | Trends in Volume, Quality, and Outcomes for Acute Myocardial Infarction (AMI) Among Hospitals Participating in Bundled Payments for Care Improvement (BPCI) – An Analysis from the NCDR ACTION Registry - GWTG | august.oddleifson@yale.com |
| 308 | <u> </u> | melissa.makar@gmail.com |
| | Underutilization of ICD therapies in Post-MI Patients with Chronic Kidney Disease | |
| 307 | Clinical Outcomes in NSTEMI patients who underwent early invasive strategy within 24 hours according to the timing of use of P2Y12 Inhibitor: Insights from the ACTION Registry®—GWTG™ | drpedrobarros80@gmail.com |
| 306 | Understanding Racial Disparities in Invasive Management for Patients with Acute Myocardial Infarction and Chronic Kidney Disease | jennifer.rymer@dm.duke.edu |

December 2018 7 | P a g e

| RPA ID | Title | Email |
|--------|---|--------------------------------|
| 305 | Impact of Obesity on Young Patients Under the Age of 50 on Short Term Outcomes with Non Acute ST Elevation Acute Myocardial Infarction (NSTEMI) | smk9018@nyp.org |
| 302 | Implication of Prior Coronary Artery Bypass Grafting for Patients Presenting with an Acute Myocardial Infarction: An Analysis from the NCDR | akaneria1@gmail.com |
| 300 | A Patient- and Hospital-Level Analysis from the NCDR ACTION Registry-GWTG | leila.haghighat@yale.edu |
| 298 | Evaluation of trends in referral to Cardiac rehabilitation (CR) after acute myocardial infarction | munis.raza@spectrumhealth.org |
| 297 | Use of Novel P2Y12 Inhibitors in ST-Elevation Myocardial Infarction in the United States | kfaridi@bidmc.harvard.edu |
| 291 | The Effect of Door-to-Balloon Time on Access Site Selection and Outcomes in Patients Presenting with STEMI – An Analysis performed using the NCDR ACTION-GWTG registry | ashwin.nathan@uphs.upenn.edu |
| 287 | Racial and ethnic disparities in first medical contact to device time among patients with ST-elevation myocardial infarction: Findings from the National Cardiovascular Data Registry (NCDR) | marcelo.fernandes@jhsmiami.org |
| 286 | Circadian and seasonal patterns of MI by sex and CAD status in ACTION | harmony.reynolds@nyumc.org |
| 279 | Racial differences in temporal trends in Readmission Rate for acute myocardial infarction at NCDR-ACTION Hospitals Based on their Penalty Status Under the Hospital Readmission Reduction Program | ambarish.pandey@outlook.com |
| 274 | Revascularization strategies in non ST-segment elevation myocardial infarction, multi-vessel coronary artery disease, and left ventricular systolic dysfunction: a report from NCDR | jay.shavadia@duke.edu |
| 269 | Trends of Compliance with Guideline Directed Therapy and Performance and Quality Measures in Diabetic Patients Admitted with Acute Coronary Syndrome | drtusharacharya@gmail.com |
| 266 | DEVELOPMENT AND VALIDATION OF PREDICTION MODELS OF 90-DAY RESOURCES AND COSTS OF CARE AFTER AMI TO INFORM HOSPITALS IN PREPARING FOR "BUNDLED PAYMENTS" | aamin@wustl.edu |
| 265 | Predictors of hospital length of stay and utilization of post-acute services following myocardial infarction | JWASFY@mgh.harvard.edu |

December 2018 8 | Page

| RPA ID | Title | Email |
|--------|---|--------------------------------|
| 264 | Prediction Models to Assess Risk of 90-Day Readmission After Hospitalization For Acute Myocardial Infarction | vinay.kini@ucdenver.edu |
| 261 | Is routine intensive care unit utilization associated with greater patient satisfaction, better care and better long-term outcomes for patients with non-ST-elevation myocardial infarction? | alexander.fanaroff@dm.duke.edu |
| 259 | The Impact of Medicaid Expansion on Acute Myocardial Infarction (AMI) Treatment and Outcomes in Low Income, Non-elderly Adults | rwadhera@partners.org |
| 258 | Cardiovascular disease Unmasked In DisAggregated Hispanic Data (CUIDADO) | frodrigu@stanford.edu |
| 251 | Public Reporting and Outcomes of Patients with Out-of-Hospital Cardiac Arrest | arjun.majithia@lahey.org |
| 248 | Patterns and Trends of Care of AMI patients according to Insurance Payor Status. | Sunny.Jhamnani@yale.edu |
| 247 | Cardiac catheterization laboratory pre-activation and time-to-treatment for primary PCI: Insights from the ACTION GWTG-Registry | jay.shavadia@duke.edu |
| 244 | Validation of a score to predict the risk of acute kidney injury in patients with acute myocardial infarction | khalid.abusaada.md@flhosp.org |
| 243 | Changes in Performance Measures Over Time after Implementation of the Patient Navigator program | albertn@ccf.org |
| 237 | Comparative Methods proposal | laine.thomas@duke.edu |
| 236 | Location of Readmission | jennifer.rymer@duke.edu |
| 234 | Yale-BD2K: Developing Risk Prediction Models for AMI, PCI, and ICD Patients Using Novel Analytic Methods | harlan.krumholz@yale.edu |
| 232 | Anticoagulation and antiplatelet prescribing trends in chronic kidney disease patients with atrial fibrillation who experience acute myocardial infarction: insights from the ACTION registry | jonmwong@gmail.com |
| 219 | Cognitive Impairment and Outcomes in Older Patients with Acute Myocardial Infarction: A Report from the National Cardiovascular Data Registry. | bagaia@smh.ca |
| 216 | Myocardial infarction and atrial fibrillation, evaluation of management and outcomes in the age of novel oral anticoagulants: a report from the NCDR ACTION® Registry. | feldmd01@hotmail.com |
| 214 | The association of geriatric impairments with in-hospital bleeding among older adults with acute myocardial infarction: Insights from the ACTION Registry | John.Dodson@nyumc.org |
| 205 | Frailty and Outcomes in a Large Acute Myocardial Infarction Registry: Observations from the NCDR ACTION Registry GWTG | jay.udell@utoronto.ca |

December 2018 9 | P a g e

| RPA ID | Title | Email |
|--------|---|---------------------------------|
| 204 | Hospital Engagement in clinical participation | avora1@partners.org |
| 196 | Rural Systems of Care: Real World Observations and Trends in STEMI Patient Characteristics, and correlations of arrival mode to outcomes | smikesell@slhduluth.com |
| 194 | Ethnic disparities in secondary prevention therapy and risk factors burden in patients with known CAD at the time of admission for ACS | elizabeth-mora-garzon@ouhsc.edu |
| 193 | Treatment, Trends and Outcomes of Late Presenting ST-Elevation Myocardial Infarction | yangzhan32@gmail.com |
| 190 | Characteristics and outcomes among patients receiving therapeutic hypothermia for myocardial infarction complicated by out-of-hospital cardiac arrest | christopher.fordyce@duke.edu |
| 186 | Temporal Trends in Treatments and Outcomes of Dialysis Patients with Acute Myocardial Infarction: A Report from the National Cardiovascular Data Registry | akshay.bagai@utoronto.ca |
| 178 | Hospital variation in antiplatelet agents after myocardial infarction, an analysis of the NCDR ACTION Registry-GWTG | Benjamin.Rodwin@yale.edu |
| 162 | Changes in antithrombotic therapy among patients with previous atrial fibrillation and coronary artery disease admitted with acute myocardial infarction | patricia.guimaraes@duke.edu |
| 158 | Hospital Performance on the NCDR ACTION Registry-GWTG "All-or-None Composite Measure | nihar.desai@yale.edu |
| 152 | Hospital variation in short- and long-term adherence to evidence-based medications | wtw8@duke.edu |
| 143 | ICU risk prediction model -ICU Utilization in Acute MI | alexander.fanaroff@dm.duke.edu |
| 142 | Association between post-discharge lipid testing and use of lipid-lowering therapies 1 year after myocardial infarction | wtw8@duke.edu |
| 141 | Outcomes Comparison Between Patients With Post-Myocardial Infarction Outpatient Care Delivered by Physicians versus Non-Physician Providers | jennifer.rymer@duke.edu |
| 139 | Comparison of treatments and outcomes among patients with STEMI in China and US in 2011 | robert.mcnamara@yale.edu |
| 133 | Ticagrelor use in patients with Acute Coronary Syndromes: Insights from the National Cardiovascular Data Registry | sukhdeep.basra@bswhealth.org |

December 2018 10 | P a g e

| RPA ID | Title | Email |
|--------|---|--|
| 126 | Variation in Hospital Mortality for STEMI Patients who have Cardiac Arrest Undergoing Primary PCI | mkontos@mcvh-vcu.edu mckontos@vcu.edu |
| 84 | Treatment, Trends and Outcomes of Late Presenting ST-Elevation Myocardial Infarction. | kureshifaraz@hotmail.com |
| 339 | Utilization and adverse events associated with mechanical circulatory support deices among patients with acute myocardial infarction and cardiogenic shock undergong percutaneous coronary intervention (PCI) | nihar.desai@yale.edu |
| 165 | Linking Regional Approach to Cardiovascular Emergencies Cardiac Arrest Resuscitation System (RACE-CARS) to NCDR ACTION-GWTG Registry – Evaluating Regional Systems Of Care in Acute Coronary Syndrome Complicated By Out-of-Hospital Cardiac Arrest: Pre- and Intra-Hospital Approaches | christopher.fordyce@duke.edu |

December 2018 11 | P a g e

IMPACT REGISTRY

| RPA | | |
|-----|---|---|
| ID | Title | Author Email |
| 53 | Atrial Septostomy In Patients Supported With Venoarterial Extracorporeal Membrane Oxygenation: Analysis of the IMPACT Registry Data | deshpandes@kidsheart.com |
| 52 | Cardiac catheterization interventions in pediatric heart transplant recipients | mcgill88@gmail.com |
| 51 | Comparison of Outcomes of Pediatric Supraventricular Tachycardia Ablation Under Sedation Versus General Anesthesia | jansonc@email.chop.edu |
| 50 | Re-interventions after pulmonary artery rehabilitation | ralfholzer@gmail.com |
| 49 | Linkage of the ACC-NCDR IMPACT Registry and the STS Congenital Heart Surgery Database to evaluate safety and efficacy of post-operative cardiac catheterization | kevin.hill@duke.edu |
| 48 | Standards of Care for Pulmonary and Aortic Balloon Valvuloplasty in Children, Adolescents, and Young Adults with Congenital Heart Disease | doff@stanford.edu |
| 47 | Pediatric Cardiac Catheterization in Down Syndrome Patients: An NCDR® Study | carl.backesjr@nationwidechildrens.org |
| 46 | Center variability in approach to sedation during pediatric cardiac catheterization; An observation from the NCDR IMPACT registry | reid.chamberlain@duke.edu |
| 45 | Balloon Stabilization Reduces Subsequent Aortic Insufficiency in Aortic Valvuloplasty | hiremath@umn.edu |
| 43 | Validating the IMPACT Registry Risk-Standardization Model in IMPACT version 2 | <u>Lisa.Bergersen@CARDIO.CHBOSTON.ORG</u> |
| 42 | Safety and Efficacy of Pediatric Cardiac Catheterization while on ECMO: A report from the IMPACT Registry | zhena@montefiore.org |
| 40 | Characterization of Radiation Exposure in Pediatric Cardiac Catheterization in the IMPACT Registry | nsutton@montefiore.org |
| 39 | Radiation dosage in pediatric and adult cardiac catheterization laboratory: data from IMPACT registry | drvarunaggarwal@gmail.com |
| 38 | Transhepatic approach for catheter interventions in children and adults: usage and complications | drvarunaggarwal@gmail.com |
| 35 | Interventions for coarctation of the aorta in adults- a report from the IMPACT registry | ada.stefanescu@mgh.harvard.edu |
| 34 | Use of transcatheter pulmonary valve replacement in patients with congenital heart disease- a report from the IMPACT registry | ada.stefanescu@mgh.harvard.edu |
| 33 | Practice patterns and post-procedure outcomes in patients undergoing transcatheter pulmonary valve replacement | pankajmadanmd@gmail.com |

December 2018 12 | P a g e

| 29 | Prediction of adverse events after catheter-based procedures in congenital heart disease in the IMPACT registry. | njayaram@cmh.edu |
|----|--|---|
| 27 | The IMPACT of Reducing Radiation Risk: An NCDR QI Project | Aimee.Armstrong@nationwidechildrens.org |
| 16 | Evaluation of Failure to Rescue as Quality Metric in Pediatric Cardiac Catheterization: An Analysis of the IMPACT Registry | obyrnem@email.chop.edu |

December 2018 13 | P a g e

ICD REGISTRY

| RPA ID | Title | Lead Author Email |
|--------|--|---------------------------|
| 72 | Outcomes Among Medicare Beneficiaries Are Optimized When Primary ICD Implant Occurs During Elective Rather Than Unplanned Hospitalization | gcstewart@partners.org |
| 98 | Changes in the practice of defibrillation testing during initial insertion of implantable cardioverter defibrillators and its effect on patient outcomes: A retrospective analysis of the NCDR ICD Registry. | tiffany.callaway@duke.edu |
| 127 | Can machine learning complement traditional medical device surveillance? A case study of dual-chamber implantable cardioverter-defibrillators | harlan.krumholz@yale.edu |
| 136 | Quadripolar vs. Bipolar Left Ventricular Leads in Cardiac Resynchronization Therapy: An Analysis from the National Cardiovascular Data Registry | ehakemi@cookcountyhhs.org |
| 137 | Outcomes among CRT Patients with Nonspecific Conduction Delay Compared to RBBB | hkawata@uci.edu |
| 146 | Characteristics and Outcome of Pediatric Patients Who Undergo Placement of Implantable Cardioverter-Defibrillator - An Insight from the National Cardiovascular Data Registry (NCDR) | Shankar.Baskar@cchmc.org |
| 150 | Timing of ICD Placement for Primary Prevention from Last Hospitalization for Heart Failure-Patient Characteristics, Periprocedural Complications, Post-Discharge Outcomes | andrew.ambrosy@duke.edu |
| 162 | Survival after ICD Implantation in Patients With Advanced Heart Failure | marat.fudim@duke.edu |

December 2018 14 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|--|---------------------------------------|
| 171 | Association of Physician Certification with Long-term Outcomes of Implantable Cardioverter-Defibrillator Implantations | |
| 193 | Weight Status and Outcomes of CRT in Patients With Heart Failure | jechouffotcheugui@bwh.harvard.ed u |
| TBD | Assessing Outcomes and Costs of Remote Patient Monitoring Among Patients with Implanted Cardiac Defibrillators: An Economic Model Based on the PREDICT RM Database | joeakar@gmail.com |
| 107 | Association Between Sunshine Act Physician Payments and Appropriateness with Selection of ICDs | Dr. shadyhenien@gmail.com |
| 128 | Outcomes of primary prevention ICD generator replacement in patients with recovered LV systolic function | icthomas@ucsd.edu |
| 132 | Off-Label CRT-D Implantation in the United States from 2012-2015 | AMNEET.SANDHU@UCDENVER.EDU |
| 134 | Clinical and Mechanical Complications after Primary Implantable Cardioverter Defibrillator in Elderly Heart Failure Patients | natash.cy@gmail.com |
| 161 | Predictors of RV Pacing and Pacing-Induced Adverse Outcomes | joeakar@gmail.com |
| 176 | Characteristics of hospitals performing differently on ICD and CathPCI discharge measures | msimanowith@acc.org |

December 2018 15 | P a g e

| RPA ID | Title | Lead Author Email |
|---------------------|---|---|
| 193 | Weight Status and Outcomes of CRT in Patients With Heart Failure | jechouffotcheugui@bwh.harvard.ed u |
| 211 | ICD in Patients with Non-ischemic Cardiomyopathy in the United States – Insights from the NCDR ICD Registry (DANISH) | valentina.kutyifa@heart.rochester.e du |
| 104B | Survival Benefit from the Resynchronization and Defibrillator Components of Cardiac Resynchronization Therapy Defibrillators in the NCDR ICD Registry | bilchick@virginia.edu |
| ТВ | Prediction model | |
| submitte d | | soko.setoguchi@duke.edu |
| TB submitte d | Trial vs. registry CAS patients | Jessica.Jalbert@la-ser.com |
| 95 | Survival of Patients Receiving a Secondary Prevention Implantable Cardioverter-defibrillator in Clinical Practice vs a Clinical Trial | carolina.hansen@duke.edu |
| 109 | Processes of Care and Outcomes in the Uninsured: Insight from NCDR ICD Registry. | imdad.ahmed@yale.edu |
| 120 | Outcomes from ICD generator replacements in response to FDA recalls | emily.zeitler@duke.edu |
| 151 | Longitudinal Outcomes After Implantation of a Subcutaneous or Transvenous ICD: A Report from the NCDR | daniel.friedman@duke.edu |

December 2018 16 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|--|---|
| 167 | Survival Following ICD Implantation in Patientswith Amyloid and Sarcoid Cardiomyopathy Compared with Other Nonischemic Cardiomyopathies | aramarnath@yahoo.co.in |
| 168 | Sex Differences in Patient Characteristics, Indications, and In-Hospital Adverse Events of the S-ICD | sanket.dhruva@yale.edu |
| 170 | CRT Upgrade versus Continued Medical Care Among Eligible ICD Recipients: Predictors of Left Ventricular Lead Upgrade and Association with Long-term Outcomes | matthew.hyman@uphs.upenn.edu |
| 184 | Use and outcomes of dual chamber and cardiac resynchronization therapy defibrillators among patients undergoing ICD implantation with a pacing indication | ryan.borne@ucdenver.edu |
| 185 | Defibrillation threshold testing in Pediatric and Congenital Heart Disease Patients | JPrutkin@cardiology.washington.ed <u>u</u> |
| 186 | Risk Stratification for ICD Generator Changes in the ICD Registry | bilchick@virginia.edu |
| 190 | Access and utilization effects of the Affordable Care Act on ICD therapy: findings from the NCDR | cmadias@tuftsmedicalcenter.org |
| 202 | Mortality in Patients with Primary Prevention ICDs for Non-Ischemic Cardiomyopathy Compared with Ischemic Cardiomyopathy & Temporal trends of survival after defibrillator implantation for primary prevention in non-ischemic cardiomyopathy versus ischemic cardiomyopathy | angela.higgins@yale.edu |
| 218 | Longitudinal Outcomes Associated with Non-Evidence-Based ICD Implantations Among Medicare Beneficiaries: A Report from the National Cardiovascular Data Registry. | faisal.aslam@yale.edu |

December 2018 17 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|---|--|
| 226 | Defibrillation threshold testing in Pediatric Patients | JPrutkin@cardiology.washington.ed <u>u</u> |
| 239 | Survival Following Implantable Cardioverter-Defibrillator Implantation in Patients Sarcoid Cardiomyopathy Compared with Other Non-Ischemic Cardiomyopathies | aramarnath@yahoo.co.in |
| 173 | In-Hospital Outcomes of Subcutaneous ICDs vs Transvenous ICDs in Dialysis Patients: A report from the NCDR | patrick.pun@duke.edu |
| 178 | Outcomes in patients with diabetes receiving a subcutaneous implantable cardioverter defibrillator. | |

December 2018 18 | P a g e

LAAO REGISTRY

| NEW RPA ID | Title | Lead Author Email |
|---------------|--|----------------------------------|
| 21 | Patterns of Peri-procedural Anticoagulation and Anti-platelet therapy for Left Atrial Appendage Occlusion in the United States | angela.y.higgins@gmail.com |
| 17 | Procedural Safety of WATCHMAN Implantation: The US NESTed Post Approval Study | paul.varosy@ucdenver.edu |
| 9 | Left Atrial Appendage Occlusion Safety and Effectiveness Study. | james.freeman@yale.edu |
| 4 | WATCHMAN US Post-Implant Drug Therapy Analysis | Jennifer.Williams2@bsci.com |
| 33 | Real World Outcomes with WATCHMAN: 7-Day Safety and 45-Day Results from the NESTed Post Approval Study | kenneth.ellenbogen@vcuhealth.org |
| 32 | Incidence and Outcomes of Peri-Device Leak Following Left Atrial Appendage Occlusion; Insights from the LAAO Registry. | adnanalkhouli@gmail.com |

December 2018 19 | P a g e

NCDR

| OLD RPA ID | NEW RPA ID | Title | Lead Author Email |
|---------------|---------------|--|----------------------------|
| O2N-A | | Data quality? | kho@bidmc.harvard.edu |
| | NCDR 0005 | Comparative Effectiveness of Carotid Artery Stenting and Carotid Endarterectomy Among Medicare Beneficiaries 2005-2009 | jessica.jalbert@la-ser.com |
| 03N-B | | CCF Update | aponirakis@acc.org |
| | 7 | Developing Risk Prediction Models for AMI, PCI, and ICD Patients Using Novel Analytic Methods: Yale-BD2K Use Case | harlan.krumholz@yale.edu |

December 2018 20 | P a g e

PINNACLE REGISTRY

| RPA ID | Title | Lead Author Email |
|--------|---|------------------------------------|
| 36 | Tobacco Use Patterns in a Nationwide Sample of Outpatient Cardiology Practices | Jiping.Chen@fda.hhs.gov |
| 50 | The Relationship between Physician Experience and Cardiac Performance Measure Compliance in Outpatients: The American College of Cardiology and National Cardiovascular Registry's Pinnacle Program | njeri.thande@yale.edu |
| 73 | Rates and Predictors of Vitamin-K Antagonist and Novel Oral Anticoagulant Use for Atrial Fibrillation in Patients with Heart Failure with Preserved and Depressed Ejection Fractions: Insights from the NCDR PINNACLE-AF Registry | johanna.contreras@mountsinai.org |
| 103 | Demographic, Socioeconomic And Practice-level Disparities In Smoking Cessation Assistance For Current Smokers In Cardiology Clinics | Mayank.Sardana@umassmemorial.org |
| 119 | Practice-Level Variation in Secondary Prevention Treatment Among Patients with Peripheral Artery Disease: Insights From the NCDR PINNACLE Registry | <u>David.Lee@unchealth.unc.edu</u> |
| 35 | Uptake of Novel Oral Anticoagulants in Patients with Non-Valvular and Valvular Atrial Fibrillation: Results from the NCDR® PINNACLE Registry® | Sandeep.M.Jani@medstar.net |
| 61 | Factors influencing prescription of newer antiplatelet agents in patients with coronary artery disease and recent drug eluting stent placement enrolled in the PINNACLE® registry. | salmanbandeali@gmail.com |
| 74 | Disparities and geographic variation in the treatment of atrial fibrillation in Native Americans enrolled in the ACC PINNACLE AF registry | lucas.marzec@ucdenver.edu |
| 100 | Impact of the 2013 Cholesterol Guidelines on Disparities in Appropriate Prescription of Lipid Lowering Therapy | VTANGUTURI@PARTNERS.ORG |

December 2018 21 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|--|--------------------------------|
| 127 | Provider-Level Variation in the Guideline Concordant Management of Cardiovascular Disease: Insights from NCDR PINNACLE | PRATEETI.KHAZANIE@UCDENVER.EDU |
| 131 | Reducing Cardiovascular Risk in the Medicare Million Hearts Risk Reduction Model (strategic ms #1) | wborden@mfa.gwu.edu |
| 154 | Association between neighborhood socioeconomic status and quality of outpatient cardiovascular care in the PINNACLE registry | |
| 156 | Differences in Management of Coronary Artery Disease in Patients with Medicare Advantage vs. Traditional Medicare Among Outpatient Cardiology Practices | jfigueroa@hsph.harvard.edu |
| 158 | Patient and Practice Characteristics Associated with Switching From Warfarin to a Direct Oral Anticoagulant (DOAC) in Patients with Atrial Fibrillation – An Analysis From the NCDR PINNACLE Registry | |
| 169 | Influence of Neighborhood Income on Variations in Coronary Artery Disease Secondary Prevention Care Among Outpatient Cardiology Practices (Strategic RPA #1) | kjoyntmaddox@wustl.edu |
| 205 | Contemporary Compliance with the 2016 ACC/AHA Clinical Performance and Quality Measures for Adults with Atrial Fibrillation or Atrial Flutter: Insights from the NCDR PINNACLE Registry®. (Strategic #3) | <u>Jonathan. Hsu@ucsd.edu</u> |
| 83 | Comparison of major bleeding risk in outpatients with atrial fibrillation on oral anticoagulants: data from the NCDR PINNACLE registry | WongJon@sutterhealth.org |
| 91 | Proportion of US Heart Failure Patients with Reduced Ejection Fraction Who May Benefit from Additional Rate Control | mvandyke@amgen.com |
| 95 | Management of Resistant Hypertension and Implications of PATHWAY-2 Trial in US Cardiology Practices: Insights from NCDR PINNACLE Registry | lauren.thompson@ucdenver.edu |

December 2018 22 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|--|---|
| 106 | Gender Differences in Long Term Cardiovascular Outcomes among Women and Men with Atrial Fibrillation: A Review from the NCDR® | Stacie.Daugherty@ucdenver.edu |
| 136 | Practice-level variation in guideline-recommended patient education among outpatients with heart failure: Insights from the PINNACLE Registry | karl.minges@yale.edu |
| 144 | The influence of insurance expansion on cardiovascular preventive care | steckere@ohsu.edu |
| 172 | Advanced care planning discussions among outpatients with heart failure | Casey.Cavanagh@yale.edu |
| 178 | Angiotensin Receptor-Neprilysin Inhibitor Utilization in PINNACLE Patients: An NCDR Research to Practice Project | joshmitchellmd@gmail.com |
| 180 | Relevance and Significance of Left Ventricular Ejection Fraction in Chronic Heart Failure Phenotypes in Patients With Heart Failure With Preserved, Midrange and Reduced Ejection Fraction: Results from the PINNACLE Registry | HGAGGIN@mgh.harvard.edu |
| 181 | Use of Sacubitril/Valsartan in the Treatment of Patients with Heart Failure with Reduced Ejection Fraction following its Addition to Clinical Practice Guidelines: An Analysis from the American College of Cardiology's (ACC) National Cardiovascular Data Reg- Novartis RPA #2 | Contact for updates: april.trebnick@baiminstitute.org Jjanuzzi@Partners.org |
| 182 | A Heart Failure Analysis from the PINNACLE Registry | Contact for updates: april.trebnick@baiminstitute.org Jjanuzzi@Partners.org |
| 184 | Impact of the 2017 ACC/AHA Guideline for the Management of High Blood Pressure on Contemporary Cardiovascular Practices: Insights from the NCDR® PINNACLE® Registry | <u>virani@bcm.edu</u> |
| 41 | Association between Anti-coagulant use and Chronic Kidney Disease in Patients with Atrial Fibrillation | supriya.shore@ucdenver.edu |

December 2018 23 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|---|---------------------------|
| 62 | Outpatient triple anti-thrombotic therapy (TOAT) use in atrial fibrillation patients with recent coronary artery stenting – analysis from NCDR-PINNACLE Registry | wayangs@ccf.org |
| 92 | Effect of Health Status Changes on Treatment Patterns in Heart Failure Patients | - |
| 123 | Inter-payer agreement on apparent practice-level composite quality measure performance | safarmer@email.gwu.edu |
| 138 | Blood Pressure and Treatment Patterns Among Older Adults After Recent Major Trial Results and Guideline Recommendations | eric.j.brandt@yale.edu |
| 140 | Association between Accountable Care Organization participation and Quality of Outpatient Cardiovascular Care | erica.spatz@yale.edu |
| 146 | Geographic, Provider, and Patient-Level Variations in the Use of Proprotein convertase subtilisin/kexin type 9 (PCSK9) Inhibitors: A Report from the NCDR's Pinnacle Registry | dblumenthal1@partners.org |
| 170 | Cardiac Rehabilitation Participation in Outpatients with Heart Failure: Does Reimbursement Make a Difference? | Kelsey.Flint@ucdenver.edu |

December 2018 24 | P a g e

PVI REGISTRY

| RPA ID | Title | Lead Author Email |
|--------|---|-----------------------------|
| | | |
| 9 | Prevalence, predictors and outcomes of bleeding complication in peripheral vascular interventions for lower extremities | bhardwajb@umkc.edu |
| 10 | The American College of Cardiology Peripheral Vascular Intervention Registry: Methods and Design | schuyler.jones@dm.duke.edu |
| 13 | Patient Radiation Exposure During Lower Extremity Endovascular Intervention | herbert.aronow@lifespan.org |
| 34 | Outcomes following Carotid Artery Stenting compared with Carotid Endarterectomy among Patients with Contralateral Carotid Occlusion: An Analysis from the NCDR PVI Registry | esecemsky@mgh.harvard.edu |
| 19 | In-Hospital Management and Outcomes of Patients Presenting with Critical Limb Ischemia | angela.sandelin@duke.edu |
| 15 | Impact of Annual Operator Volumes on Outcomes after Lower Extremity Endovascular Revascularization: Insights from the NCDR-PVI Registry | mqamar@partners.org |

December 2018 25 | P a g e

STS/ACC TVT REGISTRY

| RPA ID | Title | Lead Author Email |
|--------|--|-------------------------------|
| 101 | Transcatheter AVR for the Treatment of High Risk Patients with Bicuspid Aortic Valve Disease. A Report of the STS/ACC TVT Registry | j.matthew.brennan@duke.edu; |
| 127 | A Characterization of the Incidence and Predictors of Paravalvular Regurgitation (PVL) and its Impact on Outcomes: A Study of the STS/ACC Transcatheter Valve Therapy (TVT) Database | sanwaruddin@gmail.com |
| 133 | The Effect of TAVR on the Need for Repeat Hospitalization | holmes.david@mayo.edu |
| 161 | Relationship of Body Mass Index (BMI) with Outcomes After Transcatheter Aortic Valve replacement (TAVR) | abhishek.sharma@downstate.edu |
| 191 | Stroke and Transient Ischemic Attack Among Patients with Extracranial Carotid Artery Disease Undergoing Transcatheter Aortic Valve Replacement | schuyler.jones@dm.duke.edu |
| 200 | Transcatheter Aortic Valve Replacement Using a Self-Expanding Bioprosthesis: First Report From the STS/ACC Transcatheter Valve Therapy Registry | jpopma@bidmc.harvard.edu |

December 2018 26 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|--|--------------------------------|
| 114 | Impact of the Presence of Coronary Artery Disease and the Revascularization on Outcomes of Patients Undergoing Trans-catheter Aortic Valve Replacement: Insights from STS/ACC TVT Registry | htankazyan@llu.edu |
| 186 | Effects of Fragmentation of Post-Procedural Care on Outcomes after TAVR | aw100@duke.edu |
| 36 | Acute Kidney Injury in Transcatheter Aortic Valve Replacement: Can We Reduce the Risk? | CHB8D@hscmail.mcc.virginia.edu |
| 57 | The Outcomes of Transcatheter Aortic Valve Replacement in Patients with End-Stage Renal Disease | mszerlip@gmail.com |
| 98 | Outcomes of patients with elevated pulmonary artery pressure undergoing TAVR | hmartinjulien@gmail.com |
| 110 | Incidence, Predictors, and Outcomes of Vascular Complications and Bleeding Events in real-world patients undergoing TAVR in the U.S.: Insights from the STS/ACC TVT Registry® | matthew.sherwood@duke.edu |
| 117 | The Use of Red Blood Cell Transfusion and Outcomes after TAVR: Insights from the STS/ACC TVT Registry® | matthew.sherwood@duke.edu |

December 2018 27 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|---|-------------------------|
| 156 | Incidence and Outcomes of Patients Requiring Surgical Bail-Out during Transcatheter Aortic Valve Replacement from the NCDR® STS/ACC TVT Registry | andres.pineda@msmc.com |
| 236 | Analysis of transcatheter aortic valve replacement in those with or without a previous mitral valve prosthesis. | vthoura@emory.edu |
| 240 | Development of a Risk Prediction Model for 1-Year Mortality after Surgical vs. Transcatheter Aortic Valve Replacement in Patients with Severe Aortic Stenosis | suzanne.baron@gmail.com |
| 244 | Effect of smoking on clinical and health status outcomes after transcatheter aortic valve replacement (TAVR) | mqintar@saint-lukes.org |
| 256 | Clinical Outcomes of Transcatheter Mitral Valve Replacement for Degenerated Mitral Bioprostheses (Mitral Valve-in-Valve) and Surgical Rings (Mitral Valve-in-Ring) in the United States | mayraguerrero@me.com |
| 260 | Failure to Rescue in Transcatheter Aortic Valve Replacement | muath.bishawi@duke.edu |
| 267 | The Effect of Age and Frailty on Survival in Patients Undergoing TAVR | skiani@emory.edu |

December 2018 28 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|--|-------------------------------|
| 361 | Individualized Risk Prediction for Intermediate and High Risk Patients with Aortic Valve Stenosis Considering SAVR or TAVR in the United States | j.matthew.brennan@duke.edu |
| 194 | Incidence and Risk Factors of Aborted Procedures and Emergent Conversion to Surgery During Elective TAVR | aw100@duke.edu |
| 285 | Change in Mitral Valve Gradient Following Mitraclip Repair and Correlation to 30-day and 1 year outcomes | lowie.assche@northwestern.edu |
| 296 | Effects of pulmonary arterial hypertension on mitral clip outcomes | ral-bawardy@mgh.harvard.edu |
| 28 | In-Hospital and Long-Term Costs Associated with Peri-Procedural Complications in Patients Treated with Transcatheter Aortic Valve Replacement: Results from the TVT Registry | dcohen@saint-lukes.org |
| 113 | Reported Health Status Before and After TAVR | sva1024@yahoo.com |
| 170 | AATS Guideline: TAVI in the hybrid operating room, hybrid catheterization suite, or catheterization laboratory; is there a difference? | greason.kevin@mayo.edu |

December 2018 29 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|---|---------------------------|
| 180 | Incidence of new dialysis post-TAVR based on pre-procedural CKD stage; Reviewers | james.w.hansen@lahey.org |
| 209 | Practice patterns and clinical outcomes when cardiac arrest or cardiogenic shock precedes Transcatheter Aortic Valve replacement | Luke.I.Masha@uth.tmc.edu |
| 241 | Estimating the risk of mortality in aortic valve disease treatment: assessment for bias in non-randomized treatment comparisons | roland.matsouaka@duke.edu |
| 258 | Pre- versus post-procedure clinical event rates and associated healthcare resource utilization in patients who undergo commercial MitraClip placement for severe mitral regurgitation | morgan.cox@duke.edu |
| 263 | Incidence and Risk Factors for Early Stroke after Transcatheter Aortic Valve Replacement: Insights from the STS-ACC TVT Registry | hudedc@ccf.org |
| 270 | Development of a 30 day mortality risk model for pts w/TAVR | suz.v.arnold@gmail.com |
| 291 | Racial Disparities in Structural Heart Disease in the TVT Registry | holmes.david@mayo.edu |

December 2018 30 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|--|-------------------------------|
| 332 | Predicting Thirty-day Readmissions after Transcatheter Aortic Valve Replacement | carlos.sanchez@ohiohealth.com |
| 253 | Outcomes of trans-catheter aortic valve replacement (TAVR) in patients with mixed aortic valve disease | bhardwajb@health.missouri.edu |
| 353 | Sex-Based Differences in Outcomes Afer Transcatheter Repair of Mitral Regurgitation with the MitraClip System | pedrovillablanca@hotmail.com |
| 357 | The Association Between Driving Distance and Outcomes after TAVR | morgan.cox@duke.edu |
| 371 | Learning curve for transcatheter mitral repair: Insights from the STS/ACC TVT Registry | achhatriwalla@saint-lukes.org |
| 374 | Understanding Out of Hospital 30 Day Mortality after TAVR: An Analysis of the STS/TVT Registry | sanwaruddin@gmail.com |
| 399 | Impact of Short-Term Complications of TAVR on Outcomes. Results from the STS/ACC Transcatheter Valve Therapy Registry. | dcohen@saint-lukes.org |

December 2018 31 | P a g e

| RPA ID | Title | Lead Author Email |
|--------|--|--------------------------------|
| 350 | The Effect of Obesity on Outcomes in Patients Undergoing MitraClip- Insights from the TVT-NCDR registry | Javier.valle@ucdenver.edu |
| 438 | STS/ACC TVT Registry 2018 Update from Three Modules | john.carroll@ucdenver.edu |
| 439 | The TAVR Volume Outcome Relationship: A report from the STS/ACC TVT Registry | sreekanth.vemulapalli@duke.edu |
| 406 | "Improving Data Completeness and Expanding Available Data Elements in the TVT Registry through the use of Electronic Health Record Based Data: Linking the TVT Registry and PCORnet" | sreekanth.vemulapalli@duke.edu |

December 2018 32 | P a g e

DIABETES COLLABORATIVE REGISTRY

| RPA ID | Title | Lead Author Email |
|--------|---|----------------------------------|
| | | |
| NA | Assessing the Use of Patient-Focused Pharmacotherapy in Glycemic Management Through the Diabetes Collaborative Registry (DCR) | suz.v.arnold@gmail.com |
| NA | Management of patients with diabetes and heart failure with reduced ejection fraction: an international comparison | suz.v.arnold@gmail.com |
| 4 | Composite Cardiovascular Risk Factor Target Achievement in Diabetes Patients | ndwong@uci.edu |
| 11 | A descriptive retrospective cohort study of burden of illness in patients with type 2 diabetes mellitus at high risk of CV events, but without a medical history of previous MI or stroke; Assessment of the high risk and unmet need in patients with CAD and type 2 diabetes (Athena 1) | eric.wittbrodt@astrazeneca.com |
| 19 | Eligibility of patients with type 2 diabetes for SGLT-2 inhibitor cardiovascular outcomes trials: an assessment using the Diabetes Collaborative Registry | eric.wittbrodt@astrazeneca.com |
| 2 | Comparison of Diabetes Care Delivery and Health Outcomes in the National Health and Nutrition Examination Survey (NHANES) and Diabetes Collaborative Registry (DCR) | Sanjeev.Mehta@joslin.harvard.edu |
| 9 | Understanding the Contemporary Use of Thiazolidinediones in the US. An analysis of the Diabetes Collaborative Registry | suz.v.arnold@gmail.com |

December 2018 33 | P a g e

| RPA ID | Title | Lead Author Email | |
|--------|--|---------------------------------|--|
| | | | |
| | Quality of Care Among Diabetic Patients with Cerebrovascular Disease | | |
| | compared to those with other forms of Atherosclerotic Cardiovascular | | |
| 13 | Diseases (ASCVD) – The Diabetes Collaborative Registry | | |
| | Patterns of Use of Glucose-Lowering Therapies by Prescriber Type in | | |
| | Patients with Type 2 Diabetes Mellitus: the NCDR Diabetes | | |
| 14 | Collaborative Registry | | |
| | Healthcare Resource Utilization and Costs in Patients with Type 2 DM | | |
| | at high risk of CV events, but without a medical history of previous MI | | |
| 15 | or stroke Assessment of The High risk and unmEt Need in patients with CAD and type 2 diabetes (ATHENA) | eric.wittbrodt@astrazeneca.com | |
| | Crib and type 2 diasetes (TTTILITYT) | | |
| | Use of Non-Statin Lipid Medications in Patients with Type 2 Diabetes | | |
| 27 | | vitty.hejjy@gmail.com | |
| | Use of Glucose-Lowering Medications According to Cardiovascular | | |
| 28 | Risk | suz.v.arnold@gmail.com | |
| 20 | | 3u2.v.ariiolu@giiiaii.com | |
| | CVD-Real outcomes vs. DCR outcomes comparison | | |
| 30 | | kirill.zhudenkov@msdecisions.ru | |
| | Description of the T2DM population that will potentially benefit from | | |
| 32 | the update to ADA/EASD management guidelines. | jesus.medina@astrazeneca.com | |
| | Clinical Guidelines translated to clinical practice: analysis of second- | | |
| | line anti-diabetic agents in the Diabetes Collaborative Registry: | | |
| | Understanding the real-world use of second line therapy after major | | |
| 33 | cardiovascular outcomes trials. | eric.wittbrodt@astrazeneca.com | |
| | | | |

December 2018 34 | P a g e