


▼ Core Measures - ACE Inhibitors/ARBs for AMI

To be compliant with Core Measures, Heart Failure/AMI patients with LVSD (EF<40%) should be prescribed an Angiotensin Receptor Inhibitor (ACE-I) or Angiotensin Receptor Blocker (ARB) in the absence of a documented contraindication at discharge.

- ACEI or ARB already addressed in medication reconciliation
- lisinopril (PRINIVIL) tablet 5 mg
Disp-30 tablet, R-2
- benazepril (LOTENSIN) tablet 5 mg
Disp-30 tablet, R-2
- captopril (CAPOTEN) tablet 6.25 mg
Disp-90 tablet, R-2
- enalapril (VASOTEC) tablet 2.5 mg
Disp-30 tablet, R-2
- losartan (COZAAR) tablet 25 mg
Disp-30 tablet, R-2
- valsartan (DIOVAN) tablet 40 mg
Disp-60 tablet, R-2

Reason for no ACEI/ARB at discharge

Details

 Reason for not prescribing?

- ACEI/ARB allergy or sensitivity
- Angioedema
- Hyperkalemia
- Hypotension
- Moderate or severe aortic stenosis
- Patient refusal
- Renal artery stenosis
- Worsening renal function/renal disease/dysfunction
- Documentation of a hold on ACEI/ARB or discontinuation of an ACEI/ARB that occurs duri ...

Comments: [Click to add text \(F6\)](#)

Accept Cancel

Accept Cancel



▼ Core Measures - Beta-Blockers for AMI

To be compliant with Core Measures, all AMI patients should have a beta-blocker prescribed in the absence of a documented contraindication at discharge.

- Beta Blockers already addressed in medication reconciliation
- atenolol (TENORMIN) tablet 25 mg
Disp-30 tablet, R-2
- metoprolol (LOPRESSOR) tablet 50 mg
Disp-60 tablet, R-2
- metoprolol (TOPROL XL) tablet 50 mg
Disp-30 tablet, R-2
- carvedilol (COREG) 3.125 MG tablet
Disp-30 tablet, R-2
- carvedilol (COREG CR) 10 MG 24 hr capsule
Disp-30 capsule, R-2

Reason for no beta-blocker at discharge

Details

Accept Cancel

Reason for not prescribing?

2nd or 3rd degree heart block on ECG on arrival or during stay and does not have a pacemaker

Beta-Blocker allergy or sensitivity

Documentation of a hold on a beta-blocker or discontinuation of a beta blocker that occurs during the hospital stay

Pacemaker findings (paced rhythm, paced spikes, pacing described as atrial, AV, dual chamber, or ventricular)

Patient refusal

Comments: [Click to add text \(F6\)](#)

Accept Cancel



▼ Core Measures - Aspirin for AMI

To be compliant with Core Measures, all AMI patients should have aspirin prescribed at discharge in the absence of a documented contraindication.

- Aspirin already addressed in medication reconciliation
- Aspirin 325 MG tablet
- aspirin 81 MG chewable tablet

Reason for no aspirin at discharge

Details

Accept Cancel

Reason for not prescribing?

Aspirin allergy or sensitivity

Coumadin/warfarin or Pradaxa/dabigatran prescribed at discharge

Documentation of a hold on aspirin or discontinuation of aspirin that occurs during the hospital stay

Patient refusal

Comments: [Click to add text \(F6\)](#)

Accept Cancel

▼ Core Measures - Statins for AMI

To be compliant with Guidelines, all AMI patients (including ACS, diabetes, LDL>100) should be prescribed a statin in the absence of a documented contraindication at discharge.

- Statin already addressed in medication reconciliation
- atorvastatin (LIPITOR) 80 MG tablet
- pravastatin (PRAVACHOL) tablets 40 mg
- rosuvastatin (CRESTOR) 5 MG tablet

Reason for not prescribing statin at discharge

Details

Accept Cancel

Reason for not prescribing?

Allergic to statin

Hepatic Failure

Hepatitis

Myalgias

Rhabdomyolysis

Patient Refused

Comments: [Click to add text \(F6\)](#)

Accept Cancel

▼ Core Measure - Antiplatelet Therapy for AMI

To be compliant with Core Measures, all AMI patients should have an antiplatelet medication prescribed in the absence of a documented contraindication at discharge.

- Antiplatelet therapy already addressed in medication reconciliation
- clopidogrel (PLAVIX) 75 mg tablet
- prasugrel (EFFIENT) 10 mg Tab
- ticagrelor (BRILINTA) 90 mg Tab

Reason for no antiplatelet therapy at discharge

Details

Accept Cancel

Reason for not prescribing?

Allergy

Previously existing bleeding disorder

Current use of anticoagulant

Addressed in medication reconciliation

Comments: [Click to add text \(F6\)](#)

Accept Cancel



▼ Core Measure - Diuretics/Aldosterone Blocking Agents for AMI

- furosemide (LASIX) 20 MG tablet
- spironolactone (ALDACTONE) 25 MG tablet
- bumetanide (BUMEX) 1 MG tablet
- hydroCHLOROthiazide (HYDRODIURIL) 25 MG tablet

▼ Core Measure - Antianginals for AMI

- isosorbide dinitrate (ISORDIL) 5 MG tablet
- nitroglycerin (NITROSTAT) 0.4 MG SL tablet
- isosorbide mononitrate (IMDUR) 30 MG 24 hr tablet

▼ Core Measure - Antihypertensives for AMI

- amLODIPine (NORVASC) 5 MG tablet

